MERRYCHEF®

UK Price List (GBP) High speed ovens and accessories









With over 70 years' experience Merrychef is the world's expert in designing and manufacturing high speed ovens.

Our state-of-the-art factory, based in Sheffield, UK, has the flexibility to customise orders, build to demand and distribute globally, allowing us to become the brand most trusted by global fast-food operations and coffee chains.

We offer best in class performance quality, energyefficiency, product reliability as well as unrivalled service and chef support.

MERRYCHEF



All of our Merrychef ovens feature the Merrychef DNA:

Fast. Up to 80% guicker than a conventional oven.

Compact. Largest cavity to footprint ratio, limited counter space needed.

Easy to use. One touch pre-programmed menus, image driven controller.

Quiet. Doesn't disturb service.

Ventless. Integrated catalytic converter absorbs grease. No extraction hood required.

Cool-to-touch. No surrounding installation space is needed, fits anywhere.

Versatile. Streamlines kitchens, one appliance only to cook, toast, grill and reheat.

Plug & play. Limited installation costs, options for low power plugs.

Easy to clean. Easy access front facing air filter. Smooth surfaced cavity.

Energy efficient. Fast heat up and cool down times, low energy usage on standby.



Merrychef accessories

Placing food on Merrychef approved liners and trays will help keep your ovens clear from food and grease and reduce cleaning time. The different colours available allows you to avoid cross contamination of food and quickly switch between food products.

The true versatility of the Merrychef ovens is realised through the unique Signature range of professional accessories that are available from egg moulds to dumpling trays.

Connectivity

The new Merrychef conneX® range has Wi-Fi and ethernet connection as standard allowing you to manage and monitor your ovens as well as push menus remotely with the advanced Welbilt KitchenConnect® software.





Contents

Merrychef conneX° and eikon° range

p4-5 **conneX° 12** p6-7 **conneX° 16**

p8-9 **New conneX° 12e**

p10-11 **eikon®e1s**

p12-13 **eikon**° **e4**

p14-15 **eikon**° **e4s**

p16-17 **eikon**° **e3**

p18-19 **eikon**° **e5**

p20-21

p22-23

Signature range

Oven selector





Merrychef conneX® 12

Ideal for cafés, bars, convenience stores and quick service outlets





- High definition 7" operating screen in a robust glass surround.
- 12" x 12" cavity in a 14" width oven.
- High power up to 80% faster than other conventional cooking methods.
- Standard power up to 75% faster than other conventional cooking methods. Operates off a low amp plug.
- The most intuitive to use, next generation operating software - easyTouch®2.0.
- < 0.7 kWh on standby.
- Wi-Fi or Ethernet as standard, allowing access to KitchenConnect®
- Merrychef DNA features (p2).

tri-pleX technology combines:





with air accelerated through an impingement plate Convection



conneX[®]12

Colours

Dimensions (external) W x D x H Dimensions (internal) WxDxH Can be stacked

Stainless steel



356.2 x 641.2 x 619 mm (depth excludes handles)

311 x 311 mm

Using a high speed oven stacking trolley

Model	Convection/ Microwave	Max. Power Input	Electrical Supply**	Plug type	Price £ Stainless Steel	Price £ Black	Price £ Custom Colour
conneX®12 Standard Power	2200 W 1000 W	2990 W	220-230 V 50 Hz	13A Single Phase socket	10,058	10,363	10,557
conneX®12 High Power	2200 W 2000 W	6000 W	220-230 V 50 Hz	32A Single Phase socket	12,935	13,284	13,533

Custom Pantone colour. 50x min initial order. 10x min there after.

KitchenConnect® Subscription - Free access for 12 months from when you register your first oven. Allowing you to readily see equipment data for both monitoring and diagnostic purposes, 'Push' menus onto your ovens and manage your oven settings.

Included accessories

>Flat cook plate H6 x W300 x D300 mm



⊳Paddle with hand guard and sides W298 x D300 mm Part no: SR318



Full size cooking tray H15 x W286 x D286 mm (Black) Part no: 32Z4165



Cool down pan 1/4 size 65 mm deep Part no: 32Z4079



Non-stick cooking liner

W285 x D285 mm Part no: 32Z4088



^{**} Custom voltages and plug types available on request

New Merrychef conneX® 12

Accessories

> Flat cook plate

H6 x W300 x D300 mm



Non-stick cooking liner W285 x D285 mm (Natural) Part no: 32Z4088 (Green) Part no: 32Z4096 (Purple) Part no: 32Z4160

each



○ Griddled cook plate

H6 x W300 x D300 mm Part no: **DB0719**



Quarter size cooking tray H13 x W140 x 140 mm

(Black) Part no: 32Z4089 (Red) Part no: 32Z4123 (Green) Part no: 32Z4095 (Blue) Part no: 32Z4125

£35 each



Paddle with hand guard and sides


W298 x D300 mm Part no: SR318

£47

H13 x W279 x D140 mm (Black) Part no: 32Z4090 (Green) Part no: 32Z4094

Half size cooking tray

£43 each



Cool down pan

1/4 size 65 mm deep

Part no: 32Z4079





Accessories with can be used with any Merrychef oven if the dimensions fit the cavity. Additional signature range accessories e.g. containers and moulds can be found on page 20.

► Half size deeper cooking tray

H25 x W279 x D178 mm

(Red) Part no: 32Z4097 (Green) Part no: 32Z4098 (Blue) Part no: 32Z4099

(Black) Part no: 32Z4076

£43 each



Panini press

with grilled bottom plate

W302.2mm. Opening H 79mm, Closing H 30mm.

Part no: PSR163

£828 High opening panini press with flat bottom plate

W302.2mm. Opening H 79mm, Closing H 30mm Part no: PSR162

D Low opening panini press with flat bottom plate

£828

£828

W302.2mm. Opening H 70.5mm, Closing H 13.5mm Part no: PSR160

The paddle (included) slides food between a top grill plate and a bottom plate. When the paddle is removed the grill will lower to compress the food.



Panini press liner

W235mm x D292mm Part no: 32Z4153 Part no: 32Z4186


Panini Press Tray W290mm x D230mm x H17.8mm

Full size cooking tray

H13 x W279 x D279 mm (Black) Part no: 32Z4080 (Red) Part no: 32Z4100 (Green) Part no: 32Z4093

£49 each


(Blue) Part no: 32Z4101 (Purple) Part no: 32Z4159 (Beige) Part no: 32Z4150



Full size cooking tray (thin based)

H13 x W279 x D279 mm (Grey) Part no: 32Z4161 (Purple) Part no: 32Z4164

each



Full size mesh cooking tray

H13 x W279 x D279 mm (Black) Part no: 32Z4081



◯ Moveable oven trolley

H1090 x W469 x D636 mm

Part no: SR329

£1,294



Rear oven panel for added aesthetics H50 x W591 x D355 mm

(Black) Part no: PSB2116 (Stainless steel) Part no: PSB2115





Merrychef conneX[®] 16

Ideal for cafés, bars, convenience stores and quick service outlets





- Flexibility to speedily 'batch' cook as well as cook on demand.
- Highly aesthetic design for front-of-house.
- High definition 7" operating screen in a robust glass surround.
- Ground breaking up to 80% faster than other conventional cooking methods.
- The most intuitive to use, next generation operating software easyTouch®2.0.
- < 0.9 kWh on standby.
- Wi-Fi or Ethernet as standard, allowing access to KitchenConnect®.
- Merrychef DNA features (p2).



conneX®16

Colours

Stainless steel

Black

*Custom

Dimensions (external) $W \times D \times H$ Dimensions (internal) $W \times D \times H$

412.8 x 412.8 mm

Model	Convection/ Microwave	Max. Power Input	Electrical Supply**	Plug type	Price £ Stainless Steel	Price £ Black	Price £ Custom Colour
conneX®16 High Power	3200 W 2000 W	6000 W	220-230 V 50 Hz	32A Single Phase socket	15,243	15,642	15,943
conne^{X®}16 High Power	3200 W 2000 W	2500 W + 3300 W	380-400 V 50 Hz	32A Twin Phase socket	15,243	15,642	15,943

458.8 x 683.4 x 619 mm (depth excludes handles)

KitchenConnect® Subscription - Free access for 12 months from when you register your first oven. Allowing you to readily see equipment data for both monitoring and diagnostic purposes, 'Push' menus onto your ovens and manage your oven settings.

Included accessories

Flat cook plate
H6 x W400 x D400 mm
Part no: **DF0035**

Paddle with hand guard and sides W398 x D400 mm Part no: **SF326** Full size cooking tray H15 x W353 x D353 mm (Black) Part no: 32Z4175 Cool down pan
1/2 size 100 mm deep
Part no: 32Z4028

Non-stick cooking liner
W386.1 x D386.1 mm

Part no: 32Z4178












^{*} Custom Pantone colour. 50x min initial order. 10x min there after.

^{**} Custom voltages and plug types available on request.

New Merrychef conneX® 16 Accessories



The range of different size trays for conneX® 12 (p5) can be used with this oven – allowing you to cook multiple items at once. They are available in different colours to avoid cross contamination of food allowing you to quickly switch between food products.

Additional signature range accessories e.g. containers and moulds can be found on p20.

MERRYCHEF

New Merrychef conneX® 12e

Ideal for new and smaller businesses, cafés & bars





- The most intuitive to use, next generation operating software easyTouch®2.0.
- Wi-Fi or Ethernet as standard, allowing access to KitchenConnect®.
- 12" x 12" cavity in a 16" width oven.
- Up to 70% faster than other conventional cooking methods.
- Operates off a low amp plug.
- < 0.7 kWh on standby.
- Merrychef DNA features (p2).

tri-pleX technology combines:





with air accelerated through an impingement plate



conneX® 12e

Colou

Black

Dimensions (external) W x D x H

407 x 538 x 588 mm (depth excludes handles)

Dimensions (internal) W x D x H 311 x 311 mm

Model	Convection/ Microwave	Max. Power Input	Electrical Supply*	Plug type	Price £
conneX® 12e	2200 W/800 W	2990 W	240 V 50Hz	13A/16A Single phase socket	6,955

^{*} Custom voltages and plug types available on request

KitchenConnect® Subscription - Free of charge for the first 12 months for each oven, from when you register and activate the unit (providing activation takes place within 12 months of purchase, or 18 months from shipment).

Included accessories

Flat cook plate
H4 x W304 x D304 mm
Part no: DC0322



Paddle with hand guard and sides W298 x D300 mm Part no: SR318



Full size cooking tray
H13 x W279 x D279 mm
(Black) Part no: 32Z4080




Non-stick cooking liner
W285 x D285 mm
(Natural) Part no: 32Z4088



New Merrychef conneX® 12e

Accessories



Accessories with can be used with any Merrychef oven if the dimensions fit the cavity. Additional signature range accessories e.g. containers and moulds can be found on page 20.

Full size mesh cooking tray
H13 x W279 x D279 mm
(Black) Part no: 32Z4081

Non-stick cooking liner
W285 x D285 mm
(Natural) Part no: 32Z4088
(Green) Part no: 32Z4096
(Purple) Part no: 32Z4160

£10
each



Quarter size cooking tray H13 x W140 x 140 mm (Black) Part no: 32Z4089 (Red) Part no: 32Z4123 (Green) Part no: 32Z4095 (Blue) Part no: 32Z4125

each

£43



H13 x W279 x D140 mm (Black) Part no: 32Z4090 (Green) Part no: 32Z4094


Half size cooking tray



► Half size deeper cooking tray

H25 x W279 x D178 mm (Red) Part no: 32Z4097 (Green) Part no: 32Z4098 (Blue) Part no: 32Z4099 (Black) Part no: 32Z4076





► Full size cooking tray
H13 x W279 x D279 mm
(Black) Part no: 32Z4080
(Red) Part no: 32Z4100
(Green) Part no: 32Z4101
(Purple) Part no: 32Z4159
(Beige) Part no: 32Z4150





Full size cooking tray (thin based)

H13 x W279 x D279 mm (Grey) Part no: 32Z4161 (Purple) Part no: 32Z4164







Merrychef eikon® e1s

Ideal for new and smaller businesses, cafés & bars





- Up to 70% faster than other conventional cooking methods.
- Operates off a low amp plug.
- Icon driven easyTouch®1.0 controller.
- < 0.7 kWh on standby.
- Available in black only.
- Merrychef DNA features (p2).







with air accelerated through an impingement plate



eikon® e1s

Colour

Black

Dimensions (external) W x D x H Dimensions (internal) W x D x H 407 x 538 x 588 mm (depth excludes handles) 311 x 311 mm / 121/4" x 121/4"

Model	Part number	Convection/ Microwave	Electrical Supply* Max. Power Input	Plug type	Price £
eikon® e1s	e1SGHMV5XAU2UK	2200 W/800 W	240 V/50 Hz 2990 W	13A Single Phase socket	6,237

^{*} Custom voltages and plug types available on request

Included accessories

Flat cook plate
H4 x W304 x D304 mm
Part no: DC0322



Paddle with hand guard and sides W298 x D300 mm Part no: SR318



► Full size cooking tray H13 x W279 x D279 mm (Black) Part no: 32Z4080



Non-stick cooking liner
W285 x D285 mm
(Natural) Part no: 32Z4088





Full size mesh cooking tray H13 x W279 x D279 mm (Black) Part no: 32Z4081 Non-stick cooking liner W285 x D285 mm (Natural) Part no: 32Z4088 (Green) Part no: 32Z4096 (Purple) Part no: 32Z4160 Quarter size cooking tray H13 x W140 x 140 mm (Black) Part no: 32Z4089 (Red) Part no: 32Z4123 (Green) Part no: 32Z4095 (Blue) Part no: 32Z4125 ► Half size cooking tray H13 x W279 x D140 mm (Black) Part no: 32Z4090 (Green) Part no: 32Z4094

£49 £10 each each £43

► Half size deeper cooking tray H25 x W279 x D178 mm (Red) Part no: 32Z4097 (Green) Part no: 32Z4098 (Blue) Part no: 32Z4099 £43 each (Black) Part no: 32Z4076 Full size cooking tray H13 x W279 x D279 mm £49 (Black) Part no: 32Z4080 each (Red) Part no: 32Z4100 (Green) Part no: 32Z4093 (Blue) Part no: 32Z4101 (Purple) Part no: 32Z4159 (Beige) Part no: 32Z4150 Full size cooking tray (thin based) H13 x W279 x D279 mm (Grey) Part no: 32Z4161 each (Purple) Part no: 32Z4164



Merrychef eikon® e4

Ideal for cafés, bars, restaurants and hotels



An all-round high speed oven, suitable for a busy kitchen.

- Icon driven easyTouch®1.0 controller.
- Unique internal grease filter reduces grease build-up.
- Up to 75% faster than other conventional cooking methods.
- 14" x 12" cavity in a 24" width oven.
- Merrychef DNA features (p2).





with air accelerated through an impingement plate



eikon® e4

Colour

Stainless steel

Dimensions (external) W x D x H Dimensions (internal) W x D x H 584 x 643 x 591 mm (depth excludes handles) 375 x 312 mm / 14³/₄ x 12¹/₄

Model	Part number	Convection/ Microwave	Electrical Supply* Max. Power Input	Plug type	Price £
eikon® e4	e4CSV305HEU1GMEU	3200 W/1500 W	230 V/50 Hz 7000 W	32A Single Phase socket	14,335
eikon® e4	e4CSV305GCU1GMEU	3200 W/1500 W	230 V/50 Hz 7000 W	32A Three Phase socket	14,335

^{*} Custom voltages and plug types available on request

Included accessories

Wire rackH32 x W362 x D290 mm

Part no: **PDV0907**



Cool down pan

1/2 size 100 mm deep Part no: **32Z4028**



Vitreous baking/roasting tray
 H25 x W321 x D297 mm

Part no: **DX0117**




Non-stick roasting tray liner

W277 x D236 mm Part no: **DX0254**



Merrychef eikon® e4 Accessories







and convenience stores





- Up to 78% faster than other conventional cooking methods.
- 14" x 14" cavity in a 24" width oven.
- Versatile for high volume food.
- Suitable for 14" pizzas or 4 subs.
- Merrychef DNA features (p2).









eikon® e4s

Colour

Stainless steel

Dimensions (external) W x D x H Dimensions (internal) W x D x H

584 x 643 x 591 mm (depth excludes handles) 375 x 370 mm / 14¾ x 14½

Model	Part number	Convection/ Microwave	Electrical Supply* Max. Power Input	Plug type	Price £
eikon® e4s	e4SST305HEU1GMEU	3200 W/1800 W	230 V/50 Hz 7000 W	32A Single Phase socket	15,318
eikon® e4s	e4SST305GCU1GMEU	3200 W/1800 W	230 V/50 Hz 7000 W	32A Three Phase socket	15,318

^{*} Custom voltages and plug types available on request

Included accessories

⊘Wire rack H36 x W366 x D344 mm Part no: PDV0908



○ Cool down pan

1/2 size 100 mm deep Part no: 32Z4028



> Vitreous baking/roasting tray H25 x W321 x D297 mm

Part no: **DX0117**



Non-stick roasting tray liner

W277 x D236 mm Part no: **DX0254**



Merrychef eikon® e4s Accessories



Merrychef eikon® e3

Ideal for cafés, bars & bakeries







- Industry unique turn-table for even browning.
- Three-tier cavity for flexible cooking.
- Accelerated cooking up to 25% faster than other conventional cooking methods.
- Perfect for delicate bakery products.
- 13" x 12" cavity in a 23.5" width oven.
- Merrychef DNA features (p2).



eikon® e3

Colour

Stainless steel

Dimensions (external) W x D x H Dimensions (internal) W x D x H 598 x 558 x 551 mm (depth excludes handles) 332 x 335 mm / 13" x 1234"

Model	Part number	Convection/ Microwave	Electrical Supply* Max. Power Input	Plug type	Price £
eikon® e3EE	e3NEE305AAU2GMUK	3000 W/700 W	230 V/50 Hz 2990 W	13A Single Phase socket	5,622
eikon® e3XE	e3NXE305CEU2GMUK	3000 W/700 W	230 V/50 Hz 4700 W	32A Single Phase socket	5,622
eikon® e3XX	e3NXX305CEU2GMUK	3000 W/1000 W	230 V/50 Hz 4700 W	32A Single Phase socket	6,681
eikon® e3XX	e3NXX305BCU2GMUK	3000 W/1000 W	230 V/50 Hz 4700 W	32A Three Phase socket	6,681
eikon® e3CEE	e3CEE305AAU2GMUK	3000 W/700 W	230 V/50 Hz 2990 W	13A Single Phase socket	7,092
eikon® e3CXE	e3CXE305CEU2GMUK	3000 W/700 W	230 V/50 Hz 4300 W	32A Single Phase socket	7,092
eikon® e3CXX	e3CXX305CEU2GMUK	3000 W/1000 W	230 V/50 Hz 4700 W	32A Single Phase socket	7,652
eikon® e3CXX	e3CXX305BCU2GMUK	3000 W/1000 W	230 V/50 Hz 4700 W	32A Three Phase socket	7,652
* Custom voltages and plug	g types available on request				

Included accessories

Cool down pan
1/6 size 150 mm deep

Part no: **32Z4043**



H25 x W264 x D91 mm Part no: **SR313**



∇urn-table disk for use with 40H0347

Ø 191 mm Part no: **40H0249**



Flat turn-table plate
H40 mm x Ø 312 mm
Part no: 40H0347



Merrychef eikon® e3 Accessories









> Moveable oven trolley

H1200 x W700 x D690 mm



















Ideal for restaurants, hotels & bakeries





- Icon driven easyTouch®1.0 controller.
- Large two-tiered cavity.
- Versatile 2/3 Gastronome cavity for multi-portion dishes.
- Accelerated cooking up to 25% faster than other conventional cooking methods.
- Powerful uniform convection that gives perfect results, even for sensitive baked products.
- 19" x 14" cavity in a 28" width oven.
- Merrychef DNA features (p2).



eikon® e5

²olour

Stainless steel

Dimensions (external) $W \times D \times H$ Dimensions (internal) $W \times D \times H$ 712 x 643 x 642 mm (depth excludes handles) 495 x 358 mm / 191/4" x 14"

Model	Part number	Convection/ Microwave	Electrical Supply* Max. Power Input	Plug type	Price £
eikon® e5	e5NSW305HEU1GMEU	3200 W/1400 W	230 V/50 Hz 6200 W	32A Single Phase socket	14,213
eikon® e5	e5NSW305GCU1GMEU	3200 W/1400 W	230 V/50 Hz 6200 W	32A Three Phase socket	14,213
eikon® e5C	e5CSW305HEU1GMEU	3200 W/1400 W	230 V/50 Hz 6200 W	32A Single Phase socket	15,571
eikon® e5C	e5CSW305GCU1GMEU	3200 W/1400 W	230 V/50 Hz 6200 W	32A Three Phase socket	15,571

^{*} Custom voltages and plug types available on request

Included accessories

Wire rackH32 x W435 x D332mm
Part no: **DR0057**



► Enamel baking/roasting tray H25 x W432 x D336 mm Part no: P40C1423



Cool down pan
1/2 size 100 mm deep
Part no: 32Z4028

















> Enamel baking/roasting tray H25 x W432 x D336 mm £66 (Black) each Part no: **P40C1423** (Green) Part no: **P40C1151** (Blue) Part no: **P40C1157**





Signature range

The Signature range will suit most of our ovens to provide you with the broadest range of applications and are highly durable, long-lasting and dishwasher compatible.







Merrychef oven cleaner and protector

Your Merrychef oven should be cleaned every day to maintain and keep it running smoothly. Brush away any food or debris from inside the cavity with the red brush, use the blue brush around the door seal and for any baked on food there is a scraper. The pipe cleaner brush is to clean the steam vent pipe accessible from inside the cavity.



After cleaning we recommend you thinly coat your oven with the Merrychef oven protector to provide a barrier against further build-up of grease and make regular cleaning quicker and easier.

debris built up on your Merrychef oven.

6 x 750ml (1box) Part no: **32Z4024**

Oven protector 6 x 750ml (1box) Part no: **32Z4025**

Choosing the right Merrychef oven

Merrychef is proud to have a global culinary team to support your business. The popular preprogrammed recipes on all our ovens have been tried and tested by our dedicated team of chefs so you can deliver consistent, high-quality food, simply by pressing a picture in the oven's cookbook. Further support is available for training and customising menus.

The right oven for your business, is usually determined by what food items are on your menu and the speed of service your operation needs to provide. Below are a few examples of food items and the cook time differences between our ovens.



Chilled Pizza, pre-baked, thin crust

conneX 12 HP	1 min 15 secs
conneX 12 SP	1 min 45 secs
conneX 12e	2 min 20 secs
eikon e3	3 min 30 secs



Open chicken panini

conneX 12 HP	30 secs
conneX 12 SP	45 secs
conneX 12e	50 secs
eikon e3	2min 15 secs



Reheat jacket potato

conneX 12 HP	1 min
conneX 12 SP	1 min 30 secs
conneX 12e	1 min 30 secs
eikon e3	1 min 45 secs



Chicken breast without skin

conneX 12 HP	2 min
conneX 12 SP	2 min 15 secs
conneX 12e	2 min 30 secs
eikon e3	3 mins



Thick cut chips

conneX 12 HP	3 min
conneX 12 SP	3min 30 secs
conneX 12e	3 min 50 secs
eikon e3	4 mins

All cooking times may vary depending on quality and quantity of food.



Book a free masterclass to see our ovens in action.

Scan code or visit: https://info.welbilt.uk/welbiltculinarymasterclassbooking

Merrychef oven selector:

Within the wide range of Merrychef ovens, there is a price point and appliance to suit all operations looking to deliver hot delicious food on demand. Our network of sales representatives and selected dealers, along with our culinary teams, are committed to understanding your business and working in partnership with you to ensure you select the high speed oven most suited for your operation.

The table below is for guidance only.

To find your local representative please contact us direct or visit www.merrychef.com/Sales/Sales-Locators

	conneX 12 SP	conneX 12 HP	conneX 16	conneX 12e	e1s	e4	e4s	e3	e5
Technology									
Convection, microwave and impingement	~	~	✓	✓	~	~	~		
Convection and microwave								~	~
Cooking speeds vs other cooking methods									
Up to 80% faster		~	~						
Up to 78% faster							~		
Up to 75% faster	~					>			
Up to 70% faster				~	~				
Up to 25% faster								~	~
Average number of cooks per day:	100-150	150+	150+	50-100	50-100	150+	150+		
Cooking methods									
Toasting, grilling, reheating, cooking	~	~	~	~	~	~	~	~	~
Baking								~	~
12" pizza	~	~	✓	✓	~	>	>		~
16" pizza			~						
Outlet suitability									
Cafés and bars	~	~	✓	✓	~	~	~	~	
Quick service		~	✓				~		
Convenience stores		~	~				~		
Restaurants and hotels			✓			>			~
Bakeries								~	~
Cavity sizes in millimetres	311mm x 311mm	311mm x 311mm	412mm x 412mm	311mm x 311mm	311mm x 311mm	375mm x 312mm	375mm x 370mm	332mm x 325mm	482mm x 358mm
Cavity sizes in inches (rounded down)	12" x 12"	12" x 12"	16" x 16"	12" x 12"	12" x 12"	14" x 12"	14" x 14"	13" x 12"	19" x 14"
Connectivity as standard	~	~	~	~					
EU plug current requirements	13A/16A	16A/32A	32A	13A/16A	13A/16A	32A	32A	16A/32A	32A

Merrychef ovens are UL listed ventless and use catalytic converter materials within them to absorb grease from food and odour. Using approved accessories such as trays with lids to reduce fat splatter, regularly wiping clean accessories between cooks and following a daily cleaning regime will help keep the cavity clear of grease build-up and help keep your oven running smoothly.

©2023 Welbilt Inc. All rights reserved. 23 08 Merrychef UK price list (GBP)

Arrives offering complete peace of mind



Your satisfaction with our products is of paramount importance to us. With over 70 years of experience in designing and manufacturing high speed ovens you can be assured of a high quality, precision built appliance.

The Merrychef range has a built-in self-diagnostic system with full warranty and service support for peace of mind.

Supported by KitchenCare®

The Welbilt industry leading support service KitchenCare® provides

- A global network of authorised service partners for a comprehensive aftersales service.
- A Merrychef training and technical support programme for field engineers.
- Spare parts and aftersales accessories.
- 1 year guarantee on genuine OEM spare parts.
- · Extended warranty options.









