

Call us to arrange a free, no-obligation demonstration of the Robot-Coupe range in your own kitchen Email: sales@robotcoupe.co.uk

Kitchen HUB LIVE

is our live digital service where we can provide you an easy and convenient way to get up close to our range of 140+ models of Robot Coupe machines in an online live stream.

You can have a conversation with the Robot Coupe team of Development Chefs and Solution Managers, and ask any questions tailored to your requirements.



Scan here to book your virtual demo/consultation

www.kitchenhub.live

NEW PRODUCTS & FEATURES robot @ coupe[®]



EASYCLEAN XPRESS

The zero waste solution to clean EXPERT dicing grids.





NEW



CMP COMPACT PRODUCT RANGE

New CMP even more robust with their new stainless steel motor bloc, the integrated lug on the motor base for better ergonomic, and also the new patented EasyPlug system meaning that the power cord can be easily replaced.





NEW PRODUCTS & FEATURES robot @ coupe[®]

Discover the 12 new large-capacity Food Processor, Cutter Mixer and Blixer[®] table-top models! All-purpose, space-saving and high-performance, they meet the needs of chefs in every situation.



NEW PRODUCTS & FEATURES robot @ coupe[®]

KITCHEN BLENDERS

New product range consisting of 2 models - BL 3 and BL 5. Their exclusive X-Flow technology ensures maximum turbulence in the bowl. Expertly blended in seconds...

& DURABLE

PAGE **122**

in April 2023






robot () coupe®

INNOVATION AT THE HEART OF OUR HISTORY

Since 1961, Robot-Coupe has designed, developed and manufactured all its products in France, the home of gastronomy.



MORE THAN 60 YEARS OF INNOVATION HUNDREDS OF EXCLUSIVE PATENTS



All the latest Robot-Coupe® innovations are indicated with the a





WORLD LEADER PRESENT IN MORE THAN 130 COUNTRIES



LOCAL COMMITMENT FOR OVER 40 YEARS

Present in more than 130 countries, Robot-Coupe uses its expertise and know how as a world leader to constantly adapt to different types of local cuisine. Across the globe, our teams provide ongoing support to distributors and catering professionals to meet their specific needs.



A CULTURE OF COMMITMENT



DESIGNED AND MADE IN FRANCE

Robot-Coupe products are all designed and made in France to guarantee a superior level of quality and ensure unbeatable performance. Our products are always at the cutting edge of technology and excellence.

INNOVATIVE AND DURABLE

Because our goal is to meet your needs, innovation is our focus to anticipate your every requirement.

We commit to offering you high performance, durable products that exceed the current norms, with technical and industrial choices designed to guarantee the durability, maintenance and repairability of our products.





INSPIRING AND SATISFYING

Being your partner in the kitchen stimulates our research and development to imagine, improve and create new ways of utilising our products.

Your satisfaction is our priority to build a lasting relationship of trust and allow you to express your full culinary creativity.

robot () coupe®

A COMPANY COMMITTED TO SUSTAINABLE DEVELOPMENT

Throughout the decades, Robot-Coupe has been committed to a policy of social and ethical responsibility with four points of focus.

" Our heavy duty machines are designed to last "

" We go beyond the requirements to guarantee the highest levels of performance "



" Our partners are based in Europe and we support them in developing a sustainable approach "

" 100% of our machines can be repaired and more than 95% recyclable "

STRONG COMMITMENTS THROUGHOUT THE SERVICE LIFE OF PRODUCTS



DESIGN

Products designed to last

- The materials used for our machines are high quality and long lasting.
- Our machines provide energy efficiency and savings throughout their service life.
- 100% of our products can be repaired.
- Spare parts are available for more than 10 years after a product is discontinued.

PRODUCTION

Ethical and responsible practice

- Compliance with the most stringent standards.
- Application of the ROHS directive (Restriction Of Hazardous Substances) and incorporation of future standards such as the EuP (Energy Using Product).
- The choice of European supply partners to reduce transport and its impact on the environment.





RESOURCES

Sustainable resource management:

- Reduction in packaging from design onwards and decrease in production waste.
- High precision machines to reduce waste in the kitchen.
- Our products are more than 95% recyclable.
- Participation in waste collection and recycling schemes in each country.

PEOPLE

A socially committed company:

- An individual employee development policy and promotion of ethics.
- Respect of International Labour Organisation standards.
- Sharing of our CSR requirements with our partners with corresponding support and backing.







Robot-Coupe is not only a manufacturer. It is a people oriented company whose ability to listen and provide quality service is rolled out across the globe to improve the everyday lives of professionals. Our customers' requirements dictates our actions and our support.

PRESENCE IN THE FIELD

Robot-Coupe is at your side:

- Demonstration of the latest Robot-Coupe machines
- Audit of your kitchen equipment
- Technical training in your restaurant or in Robot-Coupe's kitchens
- Support for the repair and maintenance of your machines and replacement of spare parts
- Sharing of experience.



" A trusted partner who brings me true peace of mind "

Ask for a demonstration on our website. robot-coupe.com



TO IMPROVE USERS' DAILY LIFE

guides you in the use of your machine:



 Access your product page on robot-coupe.com and check out all the content that will make your life easier: videos on how to use, clean and maintain your machine, instructions for use and safety, recipes, etc.


A TRUSTED PARTNER





Quality Customer Service

Robot-Coupe has a dedicated team to answer all your questions and help you choose the right equipment including quotations, orders, invoice, shipping, etc. Guaranteed dispatch of machines and accessories within 48 hours. Spare parts ordered on our after sales service website are sent within 24 hours. More than 98% of orders meet the stipulated deadline.



To complete its service offering, Robot-Coupe has a specialised team trained to provide efficient, rapid help in troubleshooting, carrying out repairs and maintenance, providing video tutorials, etc.





A high performance logistics centre

Robot-Coupe keeps all its machine and spare parts stocks in a dedicated warehouse to ensure rapid delivery times. More than 90% of our references are kept in stock. A team of logistic professionalsis tasked with carefully organising orders and ensuring traceability of shipments.

An efficient after sales service

The spareparts.uk.robot-coupe.com website provides a rapid tool to find information and or order:

- Consultation of spare parts with exploded views and wiring diagrams.
- Multicriteria searches by reference #, serial number, product category or model.
- Ordering of spare parts in real time*.



3

1 MIDI CATALOGUE UK Ref. 450 895 2 SELECTION GUIDE Discs Ref. 430 401 RECIPE BOOKS Robot Cook Ref. 450 986 4 RECIPE BOOKS Nutrition & Healthcare Ref. 451 533

Contact your Robot-Coupe Territory Manager to discover the full collection.



THROUGHOUT 2023


AT TRADE SHOWS ACROSS UNITED KINGDOM AND THE REST OF THE WORLD



IN YOUR STORES AND SHOWROOMS



Set of 3 displays Ref. 451 581 Dimensions: L126 x H60 x W40 cm



Ref. 407 818

Mixed display stand Ref. 450 421 Immersion Blender display stand Ref. 407 435

robot () coupe

IS AT YOUR SIDE

FIND ALL OUR VIDEOS ON THE OFFICIAL ROBOT-COUPE CHANNEL:

🔁 YouTube





Robot-Coupe R 301 Ultra video



Robot-Coupe CL 50 Ultra video



Robot-Coupe J 100 video

VIDEOS ALSO ON robot-coupe.com

ON THE OFFICIAL ROBOT-COUPE SOCIAL MEDIA





Linkedin robot-coupe-official

Robot-Coupe Official

Youtube



Facebook RobotCoupeOfficial



Instagram robotcoupe_official

AND WITH OUR AFTER SALES SERVICE



After Sales Service videos To train your technicians on maintenance and repair operations.

A COMPREHENSIVE WEBSITE





NEW


NEW ROBOT-COUPE WEBSITE

- Responsive design and user friendly: easy access to information no matter your device (desktop computer, mobile, tablet)
- Videos : discover our products live and train yourself

FOR YOU, DEALERS AND KITCHEN PLANNERS



• Dedicated access : consult and download technical instructions, specifications, 2D, 3D & BIM drawings



		a summer		
robot in coup		Smith by parent is not		
		i control us		
mouth a baseline print				
SELECTION GUID	E			
Prot the masters for your -	ands, based on the admits	er unterla beline.		
Row III				. 1
CO MARKED	Sec.	C second	<u></u>	. 1
[84.4]				
	Parattern		Hadrens	
-			100 mm	
-	Summer 63 and	Minuted Townson	S. Children	
-		Rep:	5 D. H Sarrad	
-		Read -	F G.H.	

FOR YOUR CUSTOMERS

- Selection guide : find the right machine in just a few clicks
- **Product registration :** download user' manuals and safety instructions sheets



SOLUTIONS FOR EVERY FOOD SECTOR

COMMERCIAL FOODSERVICE



FAST FOOD

Fast Food Juice Bars Takeaway Salad & Sandwich Bars Cafeterias Food Courts



CATERING FOR THE EDUCATIONAL SECTOR

Day care Pre-school Primary school High school University Central kitchens







ARTISANS AND SUPERMARKETS



BAKERS AND Confectioners

Bakers Confectioners Tea rooms Ice cream parlours Chocolate makers Pie shops



COMMERCIAL FOODSERVICE

HOTEL CATERING

All categories of hotels Banquets Holiday centres Camping grounds Staff canteens



CONTRACT CATERING



SOCIAL FOOD SERVICE

Company restaurants Institutional restaurants Mining Sites Army Prisons Central kitchens

FULL SERVICE

Traditional restaurants

Theme restaurants

Casual dining

Bistro cuisine

Gourmet cuisine

Chains

CATERING IN THE HEALTHCARE **SECTOR**

Retirement / Nursing Homes Hospitals Special needs facilities Central kitchens

ARTISANS AND SUPERMARKETS

SUPERMARKETS

Freshly cut food Greengrocers Juice bars Delicatessens Snack bars Food Courts





DELICATESSEN **CATERING**

Delicatessens Caterers

#THEsolution






MAKE LIFE EASIER FOR THE USER

Fewer manual tasks to take away the strain









#THEsolution



SAVE MONEY

Return on investment in less than 6 months!

Examples:



Invest in a CL 50 = Save one hour of work a day.



Invest in a Robot Cook® = Save 20 minutes per service.



BOOST YOUR CREATIVITY Let your imagination run wild





SATISFY YOUR CUSTOMERS



FRESHNESS AND ORIGINS OF PRODUCT

HOMEMADE

LOCAL

















FOOD PROCESSORS

DISC COLLECTION



VEGETABLE PREPARATION MACHINES

CUTTER MIXERS

ROBOT COOK®

BLIXER® PAGE 102

KITCHEN BLENDERS

IMMERSION BLENDERS

JUICE EXTRACTORS

AUTOMATIC SIEVES

TECHNICAL DATA

(dimensions, weight, etc) PAGE 162

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS








2 MACHINES IN ONE!

Space saving and multifunctional, the Robot-Coupe Food Processor is one of the Chef's greatest allies even in a very small kitchen.

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



CUTTER FUNCTION



GRATING

* For R 402, R 402 V.V, R 502, R 502 V.V, R 752, R 752 V.V.

+ FRENCH FRIES

Juice and Coulis Extraction Function*

- Extraction of fruit and vegetable juices for appetizers, sauces, sorbets, ice cream, smoothies, jam, fruit jellies, etc.
- · Coulis function to extract pulp rich juices from cooked or tender fruit and vegetables.
- Citrus press function for all types of citrus fruits.



* Available for R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS





















Single phase
1 speed

Juice and coulis extractor kit*

*Optional attachment R-Mix[®] : Reverse rotation blending function

Models	Maximum quantity for cutter function	Hourly capacity for vegetable preparation function	Number of covers	
R 201 XL /R 201 XL Ultra	1.0 kg	25 kg/hr	1 to 50	
R 211 XL Ultra	1.0 kg	40 kg/hr	1 to 50	
R 301 / R 301 Ultra	1.5 kg	50 kg/hr	1 to 100	
R 401 / R 402 / R 402 V.V.	2.5 kg	50 kg/hr	1 to 100	
R 502 / R 502 V.V.	3.2 kg	150 kg/hr	50 to 300	
R 752 / R 752 V.V.	3.8 kg	250 kg/hr	200 to 600	

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



R 201 XL

Induction motor	\checkmark
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Cutter	2.9 L composite bowl with handle
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper Cylindrical hopper Ø 58 mm
Ejection	In bowl
Discs	2 mm slicer, 2 mm grater - Included





Scan the QR Code to see this function in action.

Choose your options:

R 201 XL	Ret.	£
R 201 XL 230V/50/1 - 2 discs	22571	960
	~	





R 201 XL Ultra

\checkmark
550 W
Single phase
1500 rpm
\checkmark
2.9 L stainless steel bowl with handle
Stainless steel smooth blade - Included
Half moon hopper
Cylindrical hopper Ø 58 mm
In bowl
2 mm slicer, 2 mm grater - Included

R 201 XL Ultra	Ref.	£
R 201 XL Ultra 230V/50/1 - 2 discs	22591	1 240

	R 201 XL / R 201 XL Ultr	
Options	Ref.	£
Coarse serrated blade Designed for grinding & kneading	27138	125
Fine serrated blade Designed for herbs & spices	27061	125
Additional smooth blade	27055	110
Juice and coulis extractor kit	27393	295
Citrus press attachment	27392	185



R 211 XL Ultra

Induction motor	\checkmark
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Cutter	2.9 L stainless steel bowl with handle
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper Cylindrical hopper Ø 58 mm
Ejection	Continuous
Discs	2 mm slicer, 2 mm grater - Included

Choose your model:



Complete disc collection page 40

	R 211 XL Ultra	
Options	Ref.	£
Coarse serrated blade Designed for grinding & kneading	27138	125
Fine serrated blade Designed for herbs & spices	27061	125
Additional smooth blade	27055	110
Juice and coulis extractor kit	27393	295
Citrus press attachment	27392	185







JUICE AND COULIS EXTRACTOR KIT

- Extraction of fruit and vegetable juices for appetizers, sauces, sorbets, ice cream, smoothies, jam, fruit jellies, etc.
- Coulis function to extract pulp rich juices from cooked or tender fruit and vegetables.
- Citrus press function for all types of citrus fruits.
- Replaces numerous manual tools:



	Ref.	£
Coulis and juice extractor kit for R 201 XL / R 201 XL Ultra / R 211 XL Ultra	27393	295
Coulis and juice extractor kit for R 301 / R 301 Ultra / R 401 / R 402 / R 402 V.V.	27396	295
Citrus fruit attachment R 201 XL / R 201 XL Ultra / R 211 XL Ultra	27392	185
Citrus fruit attachment for R 301 / R 301 Ultra / R 401 / R 402 / R 402 V.V.	27395	185

150

60

33



R 301

Induction motor	\checkmark
Wattage	650 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Cutter	3.7 L composite bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 6 mm grater - Included

Choose your model:



Scan the QR Code to see this function in action.



Ref.

2539 **1 665**

R 301 - 4 discs

R 301 230V/50/1 - 4 discs



R 301 Ultra

\checkmark
650 W
Single phase
1500 rpm
\checkmark
3.7 L stainless steel bowl
Stainless steel smooth blade - Included
Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm
2 mm slicer, 4 mm slicer, 2 mm grater, 6 mm grater - Included

R 301 Ultra - 4 discs	Ref.	£
R 301 Ultra 230V/50/1 - 4 discs	2540	1 875

Choose your options:



	R	R 301		R 301 Ultra	
Options	Ref.	£	Ref.	£	
Coarse serrated blade Designed for grinding & kneading	27288	135	27288	135	
Fine serrated blade Designed for herbs & spices	27287	135	27287	135	
Additional smooth blade	27286	110	27286	110	
Cutter accessory (bowl, lid, blade)	27272	335	27278	585	
Coulis and Juice extractor kit	27396	295	27396	295	
Citrus press attachment	27395	185	27395	185	

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



R 401

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Motor base	Metal
Cutter	4.5 L stainless steel bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm Stainless steel bowl
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 6 mm grater - Included

R 401 - 4 discs

Choose your model:



Scan the QR Code to see this function in action.

Choose your options:

n 401 - 4 uisus	nei.	L
R 401 230V/50/1 - 4 discs	2427	2 180
	~	
Complete disc collection page 40	:Ca	

Ref.



R 402

١				

750 W	
Single phase	3 phase
500 rpm - 1500 rpm	750 rpm - 1500 rpm
✓	
Metal	
4.5 L stainless steel bo	owl
Stainless steel smooth	blade - Included
Half moon hopper 1.6 Cylindrical hopper Ø 5 Stainless steel bowl	
2 mm slicer, 3 mm gra 8 x 8 x 8 mm dicing eq	

R 402 - 4 discs	Ref.	£
R 402 230V/50/1 - 4 discs	2458	2 365
R 402 400V/50/3 - 4 discs	2438	2 365

	R 401 / R 402		
Options	Ref.	£	
Coarse serrated blade Designed for grinding & kneading	27346	150	
Fine serrated blade Designed for herbs & spices	27345	150	
Additional smooth blade	27344	135	
Cutter accessory (bowl, lid, blade)	27342	555	
Coulis and Juice extractor kit	27396	295	
Citrus press attachment	27395	185	



R 402 V.V.

Induction motor	\checkmark
Wattage	1000 W
Voltage	Single phase
Speed	300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer
Pulse	✓
Motor base	Metal
Cutter	4.5 L stainless steel bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm Stainless steel bowl
Discs	2 mm slicer, 3 mm grater, 8 x 8 x 8 mm dicing equipment - Included

Choose






R 402 V.V 4 discs	Ref.	£				
R 402 V.V. 230V/50/1 - 4 discs	2443	3 235				
It is advisable to use a type A or type B GF	It is advisable to use a type A or type B GFCI					

Scan the QR Code to see this function in action.

Complete disc collection page 40

R 402 V.V. **Options** Ref. £ Coarse serrated blade Designed for grinding & kneading 27346 150 Fine serrated blade Designed for herbs & spices 27345 150 Additional smooth blade 27344 135 27342 555 Cutter accessory (bowl, lid, blade) Coulis and Juice extractor kit 27396 295 27395 Citrus press attachment 185













	Ref.	£
Mashed potato attachment Ø 3 mm (R 502 and R 502 V.V.) 1 + 2	28207	435
Mashed potato equipment Ø 3 mm 2	28208	305
Mashed potato attachment Ø 6 mm (R 502 and R 502 V.V.) 1 + 2	28209	435
Mashed potato equipment Ø 6 mm 2	28210	305

34 2023 Edition robot @ coupe°



R 502

Induction motor	\checkmark
Wattage	900 W
Voltage	3 phase
Speed	750 rpm - 1500 rpm
Pulse	✓
Motor base	Metal
Cutter	5.9 L stainless steel bowl
Scraper arm	\checkmark
Blade	Stainless steel smooth blade - Included Blade cleaning tool - Included, coming soon
Vegetable slicer	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Discs	Not included

Choose your model:

Choose your options:

R 502 Restaurants	Ref.	£
R 502 400V/50/3	2382	3 680
Pack of 8 discs	1933W	1 320
R 502 Cultural market	Ref.	£
R 502 400V/50/3	2382	3 680
Pack of 7 discs	1943W	1 170
R 502 MultiCut	Ref.	£
R 502 400V/50/3	2382	3 680
Pack of 16 discs	2022W	2 540
R 502 without disc	Ref.	£
R 502 400V/50/3	2382	3 680

Complete disc collection page 40



R 502 V.V.

✓ 1 500 W

1 500 W
Single phase
300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer
✓
Metal
5.9 L stainless steel bowl
\checkmark
Stainless steel smooth blade - Included
Blade cleaning tool - Included, coming soon
Half moon hopper 2.2 L

Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included Not included

R 502 V.V. Restaurants	Ref.	£
R 502 V.V. 230V/50-60/1	2389	4 095
Pack of 8 discs	1933W	1 320
R 502 V.V. Cultural market	Ref.	£
R 502 V.V. 230V/50-60/1	2389	4 095
Pack of 7 discs	1943W	1 170
R 502 V.V. MultiCut	Ref.	£
R 502 V.V. 230V/50-60/1	2389	4 095
Pack of 16 discs	2022W	2 540
R 502 V.V. without disc	Ref.	£
R 502 V.V. 230V/50-60/1	2389	4 095

It is advisable to use a type A or type B GFCI

	R 502 all models			
Options	Ref.	£		
Coarse serrated blade Designed for grinding & kneading	27305	335		
Fine serrated blade Designed for herbs & spices	27304	335		
Additional smooth blade	27303	320		
Cutter accessory (bowl, lid, blade)	27320	970		
Blade cleaning tool - Coming soon	49258	37		

R 752 AND R 752 V.V. FOOD PROCESSORS

- Multi-purpose, space-saving and high-performance thanks to their greater processing capacity
- A timer for greater convenience

NEW

• New attachments especially designed for professional needs!

Adjustable hopper to suit all size fruit and vegetables!

Requires less effort
 Prevents MSD
 Takes away the
 tediousness



Extra large hopper: Up to 15 tomatoes or 1 whole cabbage.



Cylindrical hopper Ø **58 mm :** For uniform cutting of long vegetables.



Exactitube pusher: Cylindrical hopper with Ø **39 mm** Exactitube pusher to cut up small fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries, grapes, etc.

 Lateral ejection: Space saving and convenient to use.

Lid:

Liquids and other ingredients can be adding during processing.



Scraper arm: Designed to easily scrape the lid and edges of the bowl without stopping the machine.

7.5 L large capacity bowl with ergonomic handle: Saves time by increasing the quantities processed.*

Options for R 752 and R 752 V.V.	Ref.	£
Coarse serrated blade Designed for grinding & kneading	27308	515
Fine serrated blade Designed for herbs & spices	27307	515
Additional stainless steel smooth blade	27306	495
Cutter accessory (bowl, lid, blade)	27318	1 205
Lower coarse serrated blade	49162	95
Upper coarse serrated blade	49163	95
Lower fine serrated blade	49164	95
Upper fine serrated blade	49165	95
Lower smooth blade	49160	85
Upper smooth blade	49161	85
3 mm mashed potato equipment	28208	305
6 mm mashed potato equipment	28210	305
Motor shaft brush - Coming soon	49257	23

*5.9 L bowl for R 502 / R 502 V.V. and 7.5 L for R 752 / R 752 V.V.

Lever with assisted movement = less effort for the operator.

Sinnovation Extra ergonomic:

Timer: Less effort, greater precision and more regular results no matter what the recipe.

Easy Guide

Motor power: Ideal for demanding preparations.



Delivered with all stainless steel smooth blade: 2 detachable adjustable blades.



robot / coupe

Range of **more than 50 discs available** as options.



R 752

Induction motor	\checkmark						
Wattage	1 800 W						
Voltage	3 phase						
Speed	750 rpm - 1500 rpm						
Pulse	✓						
Motor base	Metal						
Cutter	7.5 L stainless steel bowl						
Scraper arm	✓						
Blade	All stainless steel detachable, adjustmooth blade - Included	stable					
Accessories	Motor shaft brush - Included, coming	g soon					
Vegetable slicer	Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included						
Discs	Not included						
Choose	R 752 Restaurants	Ref.	£				
your model:	R 752 400V/50/3	2113	4 155				
	Pack of 8 discs	1933W	1 320				
		192210	1 320				
	R 752 Cultural market	Ref.	£				
Choose your	R 752 Cultural market	Ref.	£				
options	R 752 Cultural market R 752 400V/50/3	Ref. 2113	£ 4 155				
	R 752 Cultural market R 752 400V/50/3 Pack of 7 discs	Ref. 2113 1943W	£ 4 155 1 170				
options	R 752 Cultural market R 752 400V/50/3 Pack of 7 discs R 752 MultiCut	Ref. 2113 1943W Ref.	£ 4 155 1 170 £				
options	R 752 Cultural market R 752 400V/50/3 Pack of 7 discs R 752 400V/50/3	Ref. 2113 1943W Ref. 2113	£ 4 155 1 170 £ 4 155				

Complete disc collection page 40

NEW Surface area 27 sq.cm. "Discover all the disk packs on page 44" Other

R 752 V.V.

\checkmark
1 500 W
Single phase
300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer
✓
Metal
7.5 L stainless steel bowl
✓
All stainless steel detachable, adjustable smooth blade - Included
Motor shaft brush - Included, coming soon
Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Not included

R 752 V.V. Restaurants	Ref.	£
R 752 V.V. 230V/50-60/1	2080	4 560
Pack of 8 discs	1933W	1 320
R 752 V.V. Cultural market	Ref.	£
R 752 V.V. 230V/50-60/1	2080	4 560
Pack of 7 discs	1943W	1 170
R 752 V.V. MultiCut	Ref.	£
R 752 V.V. 230V/50-60/1	2080	4 560
Pack of 16 discs	2022W	2 540
R 752 V.V. without disc	Ref.	£
R 752 V.V. 230V/50-60/1	2080	4 560


It is advisable to use a type A or type B GFCI

DISC COLLECTION



THE WIDEST RANGE OF CUTS

More than 50 discs to choose from to slice, grate, julienne, dice, chop, shred, waffle cut and cut French fries with perfection in next to no time. Save hours of work each day using Robot-Coupe Food Processors and Vegetable Preparation Machines.



	D.			3.			5		5		
	ESSENTIAL - Series 1-4					EXPERT - Series 5-7					
	R 201 XL R 201 XL Ultra R 211 XL Ultra R 301 R 301 Ultra R 401 CL 20	Price £	R 402 R 402 V.V	. CL 40	Price £	DISCS	R 502/R 502 V.V. R 752/R 752 V.V. CL 50/CL 50 Ultra CL 52/CL 55 CL 60	Price £	CL 50 Gourmet	Price £	
SLICERS						Almonds 0.6 mm	28166W	170	28166W	170	
00						0.8 mm	28069W	170	28069W	170	
A	27051	80	270)51	80	1 mm	28062W	170	28062W	170	
	27555	80	275	555	80	2 mm	28063W	170	28063W	170	
Ch	27086	80	270)86	80	3 mm	28064W	170	28064W	170	
	27566	80	275	566	80	4 mm	28004W	160	28004W	160	
	27087	80	270)87	80	5 mm	28065W	160	28065W	160	
C	27786	80	277	786	80	6 mm	28196W	160	28196W	160	
						8 mm	28066W	160	28066W	160	
CTA CTA						10 mm	28067W	160	28067W	160	
CAN SEA						14 mm	28068W	160			
A N PER						4 mm cooked potatoes	27244W	550	27244W	550	
						6 mm cooked potatoes	27245W	550	27245W	550	
RIPPLE CUT	27621	80	276	621	80	2 mm	27068W	185	27068W	185	
						3 mm	27069W	185	27069W	185	
						5 mm	27070W	185	27070W	185	
GRATERS	27588	80	27588	27148	80	1.5 mm	28056W	160	28056W	160	
Cre	27577	80	27577	27149	80	2 mm	28057W	160	28057W	160	
Chan	27511	80	27511	27150	80	3 mm	28058W	160	28058W	160	
(PRO						4 mm	28073W	160	28073W	160	
						5 mm	28059W	160	28059W	160	
	27046	80	270)46	80	6 mm					
and						7 mm	28016W	160	28016W	160	
	27632	80	276	632	80	9 mm	28060W	160	28060W	160	
Sal	27764	80	277	764	80	Parmesan cheese	28061W	160	28061W	160	
Filler -	27191	95	271	91	95	Röstis potatoes	27164W	175	27164W	175	
20						Raw potatoes	27219W	175	27219W	175	
- trans	27078	95	270	•••••	95	0.7 mm horseradish paste					
Car ar	27079	95	270		95	1 mm horseradish paste	28055W	175	28055W	175	
	27130	95	271	30	95	1.3 mm horseradish paste					
JULIENNE						1 x 8 mm (ribbons)	28172W	185	28172W	185	
						1 x 26 onion/cabbage	28153W	265	28153W	265	
	27080	85	270		85	2 x 4 mm	27072W	185	27072W	185	
	27081	85	270)81	85	2 x 6 mm	27066W	185	27066W	185	
11						2 x 8 mm	27067W	185	27067W	185	
	07500			-00		2 x 10 mm (ribbons)	28173W	185	28173W	185	
	27599	85	275	599	85	2 x 2 mm	28051W	185	28051W	185	
The second						2.5 x 2.5 mm	28195W	185	28195W	185	
A STREET	07047	05	070	147	0-	3 x 3 mm	28101W	185	28101W	185	
1 and 1	27047	85	270	•••••	85 05	4 x 4 mm	28052W	185	28052W	185	
33	27610	85	276	••••	85 95	6 x 6 mm	28053W	170	28053W	170	
	27048	85	270	740	85	8 x 8 mm	28054W	170	28054W	170	

			3.				9		3)
	ESS	ENTIA	L - Series	1-4			EXPERT	- Serie	es 5-7	
							R 502/R 502 V.V. R 752/R 752 V.V.			
	CL 20	Price £	R 402 R 402 V.V.	CL 40	Price £	DISCS	CL 50 CL 50 Ultra CL 52/CL 55 CL 60	Price £	CL 50 Gourmet	Price £
DICING						5 x 5 x 5 mm	2 8110W	335	2 8110W	335
EQUIPMENT			271	13	305	8 x 8 x 8 mm	2 8111W	335	28111W	335
			271	14	305	10 x 10 x 10 mm	28112W	335	28112W	335
			272	98	305	12 x 12 x 12 mm	28197W	335		
						14 x 14 x 5 mm (mozzarella)	2 8181W	335	2 8181W	335
						14 x 14 x 10 mm	28179W	335	28179W	335
						14 x 14 x 14 mm	28113W	335		
-						20 x 20 x 20 mm	28114W	335		
						25 x 25 x 25 mm	28115W	335		
						50 x 70 x 25 mm (salad)	28180W	475		-
FRENCH FRIES			▲ 271	16	305	8 x 8 mm	▲ 28134W	335	▲ 28134W	335
EQUIPMENT						8 x 16 mm	▲ 28159W	335	▲ 28159W	335
			▲ 271	17	305	10 x 10 mm	▲ 28135W	335	▲ 28135W	335
						10 x 16 mm	▲ 28158W	335	▲ 28158W	335
BRUNOISE						2 x 2 x 2 mm			28174W	245
Las Bronoloc						3 x 3 x 3 mm			28175W	245
See See						4 x 4 x 4 mm			28176W	245
WAFFLE CUTS						2 mm			28198W	245
						3 mm			28199W	245
						4 mm			28177W	245
						6 mm			28178W	245
PACK OF DISCS	1907	240	1907	-	240	Pack of 4 discs				
	1946					Pack of 5 discs				
			1944	-	545	Pack of 6 discs				
			-	1945	580	Pack of 6 discs				
			-	1908	645	Pack of 8 discs				
						Restaurants pack	1933W	1 320	1933W	1 32
						Cultural market pack	1943W	1 170	1943W	1 170
						MultiCut Pack of 16 discs	2022W	2 540	2022W	2 540

DICING equipment consisting of: 1 dicing grid + 1 slicing disc.

FRENCH FRIES equipment consisting of: 1 french fries grid + 1 special french fries cutting disk.

ACCESSORIES



The zero waste solution to clean EXPERT dicing grids R 502 to R 752 and CL 50 to CL 60

For dicing grids	Ref.	
8 mm	49305	148
10 mm	49309	148
12 mm	49313	148
14 mm	49314	148

• Fast, easy cleaning



D-CLEAN KIT

Dicing grid cleaning tool



- Grid holder
- Essential R 402 CL 40
- Expert R 502 to R 752 CL 50 to CL 60

Ref.

107810

Ref.

107812

Ref.

27258

Ref.

101230

Ref.

39726

Ref.

39716

60

65

45

85

45

40

	Ref.	£
D-Clean Kit	29246	101

WALL MOUNTED BLADE AND DISC HOLDER: 1 BLADE and 8 DISCS

> R 201 XL Ultra to R 402 V.V.

WALL MOUNTED DISC HOLDER WITH 4 STAINLESS STEEL HOOKS:

> 16 small discs or 8 large discs

DISC RACK:

> R 502 to R 752 V.V. > CL 50 to CL 60

WALL MOUNTED DISC HOLDER STAINLESS STEEL

DISC PROTECTOR:

> R 502 to R 752 V.V.

> CL 50 to CL 60

MINI BOWL

- > EXPERT range from R 502 to R 752 V.V. and CL 50 to CL 60
- > Not compatible with dicing and chip cutting equipment.



Dicing grid cleaning tool 5 mm, 8 mm, 10 mm, 12 mm and 14 mm















THE TURNKEY SOLUTION FOR ALL KITCHENS

ESSENTIAL Series 1-4

2 mm & 4 mm



PACK OF 4 DISCS Slicers

Graters Julienne 4 x 4 mm 2 mm

	Ref.			
R 401, R 402, R 402 V.V. & CL 20	1907	240		
Wall-mounted disc holders (set of 2) FREE				



PACK OF 5 DISCS Slicers Graters Julienne 2 mm & 4 mm 2 mm 4 x 4 mm & 8 x 8 mm

	Ref.	
CL 20	1946	305
Wall-mounted disc holders (set of 2) FF	REE	


PACK OF 6 DISCS

Slicers

Slicers

2 mm & 4 mm

Graters 2 mm 4 x 4 mm



Julienne Dicing Equipment

10 x 10 x 10 mm

	Ref.	
R 402 & R 402 V.V.	1944	545
CL 40	1945	580

Wall-mounted disc holders (set of 2) FREE



PACK OF 8 DISCS


Graters Julienne 2 x 2 mm & 2 x 4 mm & 4 x 4 mm 2 mm



Dicing Equipment


	Ref.	
CL 40	1908	645
Wall mounted disc holdows (as		

Wall-mounted disc holders (set of 2) FREE



EXPERT Series 5-7





Slicers Graters Julien 2 mm & 5 mm 2 mm 3 x 3 mm

Julienne Dicing Equipment 3 x 3 mm 10 x 10 x 10 mm

French Fries Equipment

	Ref.	£	
Restaurants pack	1933W	1 320	
Wall-mounted disc holders (set of 2) FREE			













 Dicing Equipment
 French Fries Equipment

 5 x 5 x 5 mm, 10 x 10 x 10 mm,
 10 x 10 mm

 20 x 20 x 20 mm
 10 x 10 mm



Fruit and vegetables in all shapes and sizes

With evolving nutritional requirements, chefs in the mass catering sector are looking for solutions to serve more raw fruits and vegetables.

It is a great opportunity for chefs to provide creative & original cuts, in addition to presenting fresh fruit and vegetables in a more attractive way.

Robot Coupe's latest and most innovative launch, the Multicut Pack comes with 16 discs included!

	Ref.	£	
MultiCut Pack of 16 discs	2022W	2 540	
2 wall-mounted disc holders (set of 2) FREE			



Scan the QR Code to see this function in action.



NFW

High Resistance This mineral-based treatment provides optimum protection of the disc surface.



Surface treatment: Mineral+

Freshness is preserved This treatment reduces friction on the disc, ensures perfect cutting and keeps fruit and vegetables fresh.



Easy Cleaning Dishwasher resistant.

These new discs can be identified : new appearance and letter W included in the item code.

MASHED POTATO

R 502 - R 502 V.V. - R 752 - R 752 V.V. CL 50 - CL 52 - CL 55 - CL 60

• High output

Can produce up to 10 kg of delicious fresh mashed potato in just 2 minutes.

• Ergonomic

The extra large ergonomic hopper allows for the continuous processing of potatoes with as little handling as possible.

Versatile

In addition to the 50 existing ways of processing fruit and vegetables, you can also make puree.





The mashed potato attachment consists of:

- a feed hopper to handle large quantities of potatoes (for R 502, R 502 V.V., CL 50 and CL 50 Ultra only)
- a paddle
- a special Ø 3 mm or 6 mm grid
- a special puree ejection disc.


		Ref.	£
Mashed potato attachment Ø 3 mm (R 502, R 502 V.V., CL 50 and CL 50 Ultra)	0+0	28207	435
Mashed potato equipment Ø 3 mm (R 752, R 752 V.V., CL 52, CL 55 and CL 60)	2	28208	305
Mashed potato attachment \emptyset 6 mm (R 502, R 502 V.V., CL 50 and CL 50 Ultra)	1 + 2	28209	435
Mashed potato equipment Ø 6 mm (R 752, R 752 V.V., CL 52, CL 55 and CL 60)	2	28210	305

SLICERS

THE WIDEST RANGE OF CUTS


Expert : CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V. Essential : CL 40, R 201, R 201 XL Ultra, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.





The green discs show the actual size

*Except CL 50 Gourmet



BACK TO SUMMARY

2023 Edition *robot* Ø coupe° 47


Complete disc collection page 40


THE WIDEST RANGE OF CUTS

JULIENNE


Expert : CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V. Essential : CL 40, R 201, R 201 XL Ultra, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.







2023 Edition robot coupe° 49




The green discs show the actual size



PREPARED ON SITE WITH ROBOT-COUPE

Prepare your own potato dishes and add that all important "Homemade" claim.



Robot-Coupe offers many solutions for preparing homemade potato dishes with and without the skin:



VEGETABLE PREPARATION MACHINES


TABLE-TOP VEGETABLE PREPARATION MACHINESp.54FLOOR STANDING VEGETABLE PREPARATION MACHINESp.66





Thanks to our range of Vegetable Preparation Machines, you can save hours of preparation in the kitchen: slicing, grating, chopping, shredding, julienne, brunoises, chip cutting, waffle cuts and even purees.

TABLE-TOP VEGETABLE PREPARATION MACHINES



chopping, chip cutting and julienne.



The secret of exclusive cuts! For slicing small and delicate ingredients such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



VEG PREP MACHINES

THE WIDEST RANGE OF CUTS

Robot-Coupe vegetable preparation machines have more than 50 discs to process not only fruit and vegetables but also cheese and sausage.





MASHED POTATO FUNCTION CL 50, CL 52, CL 55, CL 60



Scan the QR-Code to see the mashed potato function in action.







	Ref.	£
Mashed potato attachment Ø 3 mm (CL 50 and CL 50 Ultra) 1 + 2	28207	435
Mashed potato equipment Ø 3 mm 2	28208	305
Mashed potato attachment Ø 6 mm (CL 50 and CL 50 Ultra) 1 + 2	28209	435
Mashed potato equipment Ø 6 mm 2	28210	305

TABLE-TOP VEGETABLE PREPARATION MACHINES





56 2023 Edition robot @ coupe







TABLE-TOP VEGETABLE PREPARATION MACHINES



18

CL 20

Induction motor	\checkmark
Wattage	400 W
Voltage	Single phase
Speed	1 500 rpm
Feed hoppers	Half moon hopper Cylindrical hopper Ø 58 mm
Lid and bowl	Composite material
Motor base	Composite material
Discs	Not included

50 Surface area 104 sq.cm. "Discover all the disk packs on page 43" robot / coupe CL 40

10

\checkmark
500 W
Single phase
500 rpm
Half moon hopper Cylindrical hopper Ø 58 mm
Composite lid and stainless steel bowl
Metal
Not included

Choose your model:

CL 20 - 4 discs	Ref.	£
CL 20 230V/50/1	22395	1 150
Pack of 4 discs	1907	240
CL 20 - 5 discs	Ref.	
CL 20 230V/50/1	22395	1 150
Pack of 5 discs	1946	305
CL 20 without disc	Ref.	
CL 20 230V/50/1	22395	1 150

Complete disc collection page 40

CL 40 - 6 discs	Ref.	£
CL 40 230V/50/1	24571	1 320
Pack of 6 discs	1945	580
CL 40 - 8 discs	Ref.	£
CL 40 230V/50/1	24571	1 320
Pack of 8 discs	1908	645
CL 40 without disc	Ref.	£
CL 40 230V/50/1	24571	1 320





CL 50 - 1V

Induction motor	\checkmark
Wattage	550 W
Voltage	Single-phase or 3 phase
Speed	375 rpm
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Lid and bowl	Metal
Motor base	Composite material
Discs	Not included

CL 50 - 1V Restaurants

Ref.

Choose

your model:



Scan this QR-Code to see the vegetable preparation machine in action.

CL 50 Single phase - 1V 230V/50/1	24442	1 460
Pack of 8 discs	1933W	1 320
CL 50 3 phase - 1V 400V/50/3	24446	1 460
Pack of 8 discs	1933W	1 320
CL 50 - 1V Cultural market	Ref.	£
CL 50 Single phase - 1V 230V/50/1	24442	1 460
Pack of 7 discs	1943W	1 170
CL 50 3 phase - 1V 400V/50/3	24446	1 460
Pack of 7 discs	1943W	1 170
CL 50 - 1V MultiCut	Ref.	£
CL 50 Single phase - 1V 230V/50/1	24442	1 460
Pack of 16 discs	2022W	2 540
CL 50 3 phase 1V 400V/50/3	24446	1 460
Pack of 16 discs	2022W	2 540
CL 50 - 1V without disc	Ref.	£
CL 50 Single phase - 1V 230V/50/1	24442	1 460
CL 50 3 phase - 1V 400V/50/3	24446	1 460



CL 50 - 2V

\checkmark
600 W
3 phase
375 rpm - 750 rpm
Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Metal
Composite material
Not included

CL 50 - 2V Restaurants	Ref.	£
CL 50 3 phase - 2V 400V/50/3	24449	1 735
Pack of 8 discs	1933W	1 320
CL 50 - 2V Cultural market	Ref.	£
CL 50 3 phase - 2V 400V/50/3	24449	1 735
Pack of 7 discs	1943W	1 170
CL 50 - 2V MultiCut	Ref.	£
CL 50 3 phase - 2V 400V/50/3	24449	1 735
Pack of 16 discs	2022W	2 540
CL 50 - 2V without disc	Ref.	£
CL 50 3 phase - 2V 400V/50/3	24449	1 735

Complete disc collection page 40

Choose your options:

		CL 50 all	models
	Options	Ref.	£
	Additional Exactitube pusher	49212	45
	Mashed potato attachment 3 mm	28207	435
	Mashed potato attachment 6 mm	28209	435
NEW	Mini bowl	39716	40

TABLE-TOP VEGETABLE PREPARATION MACHINES



CL 50 Ultra - 1V

Induction motor	\checkmark
Wattage	550 W
Voltage	Single-phase or 3 phase
Speed	375 rpm
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Lid and bowl	Metal
Motor base	Stainless steel
Discs	Not included

Choose your model:



Scan this QR-Code to see the vegetable preparation machine in action.

CL 50 Ultra - 1V Restaurants	Ref.	£
CL 50 Ultra Single phase - 1V 230V/50/1	24470	1 595
Pack of 8 discs	1933W	1 320
CL 50 Ultra 3 phase - 1V 400V/50/3	24473	1 595
Pack of 8 discs	1933W	1 320
CL 50 Ultra - 1V Cultural market	Ref.	£
CL 50 Ultra Single phase - 1V 230V/50/1	24470	1 595
Pack of 7 discs	1943W	1 170
CL 50 Ultra 3 phase - 1V 400V/50/3	24473	1 595
Pack of 7 discs	1943W	1 170
CL 50 Ultra - 1V MultiCut	Ref.	£
CL 50 Ultra Single phase - 1V 230V/50/1	24470	1 595
Pack of 16 discs	2022W	2 540
CL 50 Ultra 3 phase 1V 400V/50/3	24473	1 595
Pack of 16 discs	2022W	2 540
CL 50 Ultra - 1V without disc	Ref.	£
CL 50 Ultra Single phase - 1V 230V/50/1	24470	1 595
CL 50 Ultra 3 phase - 1V 400V/50/3	24473	1 595

Complete disc collection page 40



CL 50 Ultra - 2V

\checkmark

600 W
3 phase
375 rpm - 750 rpm
Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Metal
Stainless steel
Not included

CL 50 Ultra - 2V Restaurants	Ref.	£
CL 50 Ultra 3 phase - 2V 400V/50/3	24476	1 875
Pack of 8 discs	1933W	1 320
CL 50 Ultra - 2V Cultural market	Ref.	£
CL 50 Ultra 3 phase - 2V 400V/50/3	24476	1 875
Pack of 7 discs	1943W	1 170
CL 50 Ultra - 2V MultiCut	Ref.	£
CL 50 Ultra 3 phase - 2V 400V/50/3	24476	1 875
Pack of 16 discs	2022W	2 540
CL 50 Ultra - 2V without disc	Ref.	£
CL 50 Ultra 3 phase - 2V 400V/50/3	24476	1 875

	CL 50 Ultra	all model
Options	Ref.	£
Additional Exactitube pusher	49212	45
Mashed potato attachment 3 mm	28207	435
Mashed potato attachment 6 mm	28209	435
Mini bowl	39716	40

Choose your options:

NEW



CL 50 Ultra Pizza

Induction motor	\checkmark		
Wattage	550 W		
Voltage	Single phase		
Speed	375 rpm		
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Exactitube pusher - Included	Ø 39 mr	۱,
Lid and bowl	Metal		
Motor base	Stainless steel		
Discs	2 mm slicer, 4 mm slicer + 7 mm	grater - I	ncluded
Choose	CL 50 Ultra Pizza	Ref.	£
your model:	CL 50 Ultra Pizza 230 V/50/1 - 3 discs	2028W	2 085
	Complete disc collection page 40	£.	

	CL 50 Ult	CL 50 Ultra Pizza	
Options	Ref.	£	
Dicing equipment 10x10x10mm for bruschetta	28112W	335	
Dicing equipment 14x14x5mm for fresh mozzarella	28181W	335	
Parmesan disc	28061W	160	







CL 50 GOURMET

Choosing excellence



CL 50 Gourmet

Induction motor	\checkmark
Wattage	550 W
Voltage	Single phase
Speed	375 rpm
Feed hoppers	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm and Ø 68 mm
Lid and bowl	Metal
Motor base	Stainless steel
Discs	2 discs for brunoise or waffle cut to be selected from the list below

Choose vour model:	CL 50 Gourmet	Ref.	£
your mouel.	CL 50 Gourmet 230V/50/1	24555W	2 395



Exceptional cutting quality...



3 brunoise discs 2 mm - 3 mm - 4 mm





	Brunoise		
Options	Ref.	£	
Brunoise 2 x 2 x 2 mm	28174W	245	
Brunoise 3 x 3 x 3 mm	28175W	245	
Brunoise 4 x 4 x 4 mm	28176W	245	

... for brunoise and waffle-cuts!



4 waffle cut discs 2 mm - 3 mm - 4 mm - 6 mm






	Waffle	Waffle cut		
Options	Ref.	£		
Waffle cut 2 mm	28198W	245		
Waffle cut 3 mm	28199W	245		
Waffle cut 4 mm	28177W	245		
Waffle cut 6 mm	28178W	245		

PARSLEY KIT

Large quantities of tabouli in the blink of an eye!



PARSLEY KIT 2 inserts





1 mm parsley including:

one 1-mm slicer and two inserts for guiding parsley while it is being chopped

	Ref.	£
1 mm parsley kit	28194W	245

VEG PREP MACHINES

Requires less effort **CL 52** Prevents MSD Designed to cut up large amounts of vegetables in no Takes away the painfulness of work time at all. INNOVATION **HIGH PRECISION Cylindrical hopper EXTRA ERGONOMIC** - Ø 58 mm uniform cutting of long ingredients. Lever with assisted movement - Ø 39 mm to cut up small fruit and = less effort for the operator vegetables such as chillis, gherkins, dry + increase throughput. sausage, asparagus, spring onions, bananas, strawberries, grapes, etc. with the Exactitube pusher. EXTRA LARGE The very wide opening of the hopper is designed to take up to 15 tomatoes robot@coupe at a time.

CL 52 🚺 🌘



Scan this OR-Code to see the vegetable preparation machine in action.

LATERAL EJECTION Space saving and less strain.

Special cabbage tool for better ejection.



Easy Guide

maintenance.

grade motor.

EXTRA POWERFUL

Stainless steel motor base for easy

750 W ultra-powerful silent commercial



CL 52 - 1V

Induction motor	\checkmark
Wattage	750 W
Voltage	Single-phase
Speed	375 rpm
Feed hoppers	Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Lid and bowl	Metal
Motor base	Stainless steel
Accessories	Motor shaft brush - Included, coming soon
Discs	Not included

Choose your model:



Scan this QR-Code to see the vegetable preparation machine in action.

CL 52 - 1V Restaurants	Ref.	
CL 52 - 1V 230V/50/1	24492	2 460
Pack of 8 discs	1933W	1 320
CL 52 - 1V Cultural market	Ref.	
CL 52 - 1V 230V/50/1	24492	2 460
Pack of 7 discs	1933W	1 320
CL 52 - 1V MultiCut	Ref.	
CL 52 - 1V 230V/50/1	24492	2 460
Pack of 16 discs	2022W	2 540
CL 52 - 1V without disc	Ref.	£
CL 52 - 1V 230V/50/1	24492	2 460







175 mm

59

Surface area

227 sq.cm.

"Discover all the

V
900 W
3 phase
375 rpm - 750 rpm
Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Metal
Stainless steel
Motor shaft brush - Included, coming soon
Not included

CL 52 - 2V Restaurants	Ref.	£
CL 52 - 2V 400V/50/3	24501	2 460
Pack of 8 discs	1933W	1 320
CL 52 - 2V Cultural market	Ref.	£
CL 52 - 2V 400V/50/3	24501	2 460
Pack of 7 discs	1943W	1 170
CL 52 - 2V MultiCut	Ref.	
CL 52 - 2V 400V/50/3	24501	2 460
Pack of 16 discs	2022W	2 540
CL 52 - 2V without disc	Ref.	£
CL 52 - 2V 400V/50/3	24501	2 460

CL 52 all models **Options** Ref. £ 49221 50 Additional Exactitube pusher 28208 305 3 mm mashed potato equipment 6 mm mashed potato equipment 28210 305 Motor shaft brush - Coming soon 49257 23

FLOOR STANDING VEGETABLE PREPARATION MACHINES

Especially designed for the preparation of large quantities of vegetables.



CL 55 automatic feed-head

CL 55 pusher feed-head (Surface area 227 sg.cm.) with built-in tube

CL 55 4-tube feed head 2 Ø 50 mm tubes / 2 Ø 70 mm tubes



CL 55 2-tube feed head Straight and slanted tubes

THE WIDEST RANGE OF CUTS

Efficient, heavy duty, easy to use and clean, Robot-Coupe vegetable preparation workstations are designed for institutions, central kitchens, caterers and the agri-food industry.



FLOOR STANDING VEGETABLE PREPARATION MACHINES





600 kg



FLOOR STANDING VEGETABLE PREPARATION MACHINES





CL 55 Pusher Feed-Head

Induction motor	\checkmark			
Wattage	1100 W	1100 W		
Voltage	Single phase	3 phase		
Speed	375 rpm	375 rpm - 75	50 rpm	
Feed-Heads	Full moon pusher feed head 4.4 L Cylindrical hoppers Ø 58 mm and Ø 39 mm, Exactitube pusher - Included			
Lid and bowl	Metal			
Motor base	Stainless steel			
Mobile stand	Stainless steel Equipped with 2 wheels and brake			
Accessories	Motor shaft brush - Ir	ncluded, coming	j soon	
Discs	Not included			
Choose	CL 55 Pusher Fee	ed-Head	Ref.	£
your model:	CL 55 Pusher Feed-Head	230V/50/1	2252	4 745
	CL 55 Pusher Feed-Head	400V/50/3	2214	4 745

CL 55 2 Feed-Heads

 \checkmark

1100 W	1100 W
Single phase	3 phase
375 rpm	375 rpm - 750 rpm
Stainless steel aut Full moon pusher Cylindrical hopped Exactitube pusher Metal	feed head 4.4 L rs Ø 58 mm and Ø 39 mm,
Stainless steel	
Stainless steel Equipped with 2 v	vheels and brake
Motor shaft brush	- Included, coming coon

Motor shaft brush - Included, coming soon Not included

CL 55 2 Feed-Heads	Ref.	£
CL 55 2 Feed-Heads 230V/50/1	2073	6 365
CL 55 2 Feed-Heads 400V/50/3	2211	6 365



CL 55 ACCESSORIES



Automatic feed-head Ref. 28170 - £1 620



4-tubes feed-head 2 ∅ 50 mm tubes 2 ∅ 70 mm tubes **Ref.** 28161 - £**1 395**



Potato ricer Ref. 28208 Ø 3 mm - £305 Ref. 28210 Ø 6 mm - £305



Motor shaft brush Ref. 49257 - £23



3-height adjustable trolley GN1x1 Delivered without pan Ref. 49128 - £960



Pusher feed-head with built-in tube (surface area 227 sq.cm.) Ref. 39673 - £1 200



Straight and bias tubes Ref. 28155 - £1 395



Exactitube pusher CL 52 - CL 55 - CL 60 **Ref.** 49221 - £**50**



Mobile storage for 16 discs, 8 attachments and 3 feed heads, delivered with 1 GN1x1 pan (attachments not included) Ref. 49132 - £1 590









CL	55	Workstatio	n

Induction motor	\checkmark	
Wattage	1100 W	1100 W
Voltage	Single phase	3 phase
Speed	375 rpm	375 rpm - 750 rpm
Feed heads	Stainless steel autom Full moon pusher fee Cylindrical hoppers & Exactitube pusher - I	ed head 4.4 L Ø 58 mm and Ø 39 mm,
Lid and bowl	Metal	
Motor base	Stainless steel	
Accessories	2 wheels with brake Adjustable trolley GN pans - Included	11x1, 3 heights + 3 GN1x1
Discs	MultiCut pack of 16 of	discs - Included

CL 55 Workstation	Ref.	£
CL 55 Workstation 230V/50/1	2293W	9 925
CL 55 Workstation 400V/50/3	2287W	9 925

A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!

Automatic feed-head

For all bulky vegetables (tomatoes, onions, potatoes, etc.).



Pusher feed-head

Especially designed for bulky vegetables such as cabbage and celery.



MultiCut pack

16 discs included.





10 x 10 x 10 mm

Dicing Equipment



5 x 5 x 5 mm



10 x 10 mm **French Fries**





4 wall mounted disc holders for 16 discs

Exactitube pusher

For slicing small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



3 mm mashed potato equipment To easily produce large quantities of mashed potatoes.



Coming soon Motor shaft brush



GN1x1 adjustable trolley

To transport, load and store accessories 2 GN1x1 pans provided.



Production mode

1.5 mm

Graters

Ô

20 x 20 x 20 mm

3 mm

4 x 4 mm

FLOOR STANDING VEGETABLE PREPARATION MACHINES





CL 60 Pusher Feed-HeadCL 60 2 Feed-HeadsCL 60 V.V. Pusher Feed-HeadCL 60 V.V. 2 Feed-Heads

Induction motor	\checkmark	
Wattage	1500 W	
Voltage	Single phase	3 phase
Speed	100 to 1000 rpm	375 rpm - 750 rpm
Feed-Heads	Full moon pusher fee Cylindrical hopper Ø Exactitube pusher - II	58 mm and Ø 39 mm,
Bowl	Stainless steel	
Motor base	Stainless steel	
Equipped with	1 adjustable foot for a 2 wheels 1 stainless steel conta	all floor types ainer for cutting attachments
Accessories	Motor shaft brush - Ir	•
Discs	Not included	

Complete disc collection page 40

Choose

your model:



CL 60 Pusher Feed-Head	Ref.	£
CL 60 Pusher Feed-Head 400V/50/3	2319	7 435
CL 60 V.V. Pusher Feed-Head 230V/50-60/1	2323	7 655
It is advisable to use a type A or type B GF	CI	

Scan this QR-Code to see the vegetable preparation machine in action.

√

•	
1500 W	
Single phase	3 phase
100 to 1000 rpm	375 rpm - 750 rpm
Stainless steel autom Full moon pusher fee Cylindrical hopper Ø Exactitube pusher - I Stainless steel Stainless steel	ed-head 4.9 L 58 mm and Ø 39 mm,
1 adjustable foot for 2 wheels 1 stainless steel cont Motor shaft brush - I Not included	ainer for cutting attachments

CL 60 2 Feed-Heads	Ref.	£
CL 60 2 Feed-Heads 400V/50/3	2325	9 555
CL 60 V.V. 2 Feed-Heads 230V/50-60/1	2329	9 725

It is advisable to use a type A or type B GFCI

CL 60 ACCESSORIES



Automatic feed-head With feeding tray Ref. 39681 - £2 235



4 tubes feed-head 2 Ø 50 mm tubes 2 Ø 70 mm tubes Ref. 28162 - £**1 550**



Potato ricer Ref. 28208 Ø 3 mm - £305 Ref. 28210 Ø 6 mm - £305



Motor shaft brush Ref. 49257 - £23



Ergo mobile trolley Supplied without pan. Designed to take 3 GN1x1 gastronorm pans Ref. 49066 - £1 175



Pusher feed-head Ref. 39680 - £1 695




Straight and bias tubes Ref. 28157 - £1 550



Exactitube pusher CL 52 - CL 55 - CL 60 **Ref.** 49221 - £**50**



Mobile storage for 16 discs, 8 attachments and 3 feed heads, delivered with 1 GN1x1 pan (attachments not included) Ref. 49132 - £1 590







CL 60 Workstation





Adjustable stand so it can be adapted to different floor heights.

CL 60 Workstation

robot i coupe

Induction motor	\checkmark	
Wattage	1500 W	
Voltage	Single phase	3 phase
Speed	100 to 1000 rpm	375 rpm - 750 rpm
Feed heads	Stainless steel automatic Full moon pusher feed h Cylindrical hopper Ø 58 Exactitube pusher - Inclu 4 tubes: 2 Ø 50mm tube	ead 4.9 L mm and Ø 39 mm, ded
Lid and bowl	Metal	
Motor base	Stainless steel	
Equipped with	1 adjustable foot for all f 2 wheels 1 stainless stee attachments.	
Accessories	Ergo mobile trolley with 3 gastronorm pans - Includ Wall disc holder with 1 G gastronorm pan - Include 3 mm mashed potato eq Motor shaft brush - Inclu	<mark>led</mark> GN1x1 d uipment - Included
Discs	MultiCut pack of 16 disc	s - Included

CL 60 Workstation	Ref.	£
CL 60 Workstation 400V/50/3	2300W	16 455
CL 60 V.V. Workstation 230V/50-60/1	2301W	16 460

4 It is advisable to use a type A or type B GFCI



Scan this QR-Code to see the vegetable preparation machine in action.

1200 kg of vegetables an hour

A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!

Automatic feed-head

For all bulky vegetables (tomatoes, onions, potatoes, etc.).

Pusher feed-head

Especially designed for bulky vegetables such as cabbage and celery.

4 tubes feed-head

Especially designed for long vegetables such as cucumbers and courgette.





Exactitube pusher

For cutting up small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.

3 mm mashed potato equipment To easily produce large

quantities of mashed potatoes.





1.5 mm

Graters

20 x 20 x 20 mm











4 wall mounted disc holders for 16 discs



3 mm

4 x 4 mm

Wall disc holder

To store and transport all the attachments! Tray for 16 discs and 8 attachments. GN1X1 pan for kitchen utensils.



Ergo Mobile Trolley

To transport, load and store accessories. 3 GN1x1 gastronorm pans provided.



BACK TO SUMMARY

CUTTERS MIXERSTABLE TOP CUTTER MIXERSFLOOR STANDING VERTICAL CUTTER MIXERSp.80p.90



THE MUST FOR PASTRY AND KITCHEN CHEFS!

With its bowl-base twin-blade assembly - a Robot-Coupe exclusivity - it is the Chef's ideal assistant. Whether you need small or large quantitites, all your preparations can be made by just pressing a button: sauces, ground meat and fish, chopped onions, herbs and spices, ground nuts and chocolate, praline, kneading, etc.

TABLE TOP CUTTER MIXERS



BOWL 7.5L: to save time by increasing the quantities processed.

LID

Liquids and other ingredients can be added during processing.

ERGONOMIC HANDLE Soft touch handle designed for more comfort and for a firm and secure grip.



Scan the QR-Code to see the cutter mixers in action.

TIMER

Less effort, greater precision and more regular results no matter what the recipe.

OINNOVATION

Easy Guide

BOWL-BASE TWIN-BLADE ASSEMBLY

To process both large and small quantities. All stainless steel with detachable smooth blade. Optional coarse and fine serrated blade.


Variable speed models:

robot of coupe" 000

R7 V.V.

300 to 3500 rpm for more flexible use and a greater variety of applications.

7,5 L



R-MIX FUNCTION


On R 5 V.V., R 7 V.V., R 8 V.V., R 10 V.V.

• To blend delicate ingredients without chopping.

• The **R-Mix**[®] function is designed for reverse rotation blending at variable speeds from 60 to 500 rpm to incorporate whole pieces of meat, crayfish tails, brunoises and diced vegetables to pâtés and terrines, whole raisins to buns, etc.



TABLE-TOP CUTTER MIXERS



*Maximum quantities processed at a time



R-Mix®: Reverse rotation blending function

PERFORMANCE RATES

	Maximum capacity			Number		
Models	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)	of covers	Time
R 2	0,8 kg	1 kg	0,5 kg	0,3 kg	1 to 50	
R 3	1 kg	1,5 kg	1 kg	0,5 kg	1 to 50	
R 3-3000	1 kg	1,5 kg	-	0,5 kg	1 to 50	1 to 4 minutes
R 4 - 1V / R 4 - 2V / R 4 V.V.	1,5 kg	2,5 kg	1,5 kg	0,7 kg	50 to 100	
R 5 - 1V / R 5 - 2V / R 5 V.V.	2,2 kg	3,2 kg	2,2 kg	1,1 kg	50 to 200	
R 7 V.V.	2,7 kg	3,8 kg	2,7 kg	1,7 kg	100 to 200	
R 8 / R 8 V.V.	3 kg	5 kg	4 kg	2 kg	200 to 300	
R 10 / R 10 V.V.	4 kg	6 kg	5 kg	3 kg	200 to 300	

*Amount of raised dough with 60% hydration

Find all our floor standing models on page 92

TABLE-TOP CUTTER MIXERS





£

R 3

Induction motor √ √ Wattage 550 W 650 W Voltage Single phase Single phase 1500 rpm Speed 1500 rpm Pulse \checkmark \checkmark 2.9 L stainless steel Bowl 3.7 L stainless steel **Blade** Stainless steel smooth blade Stainless steel smooth blade Included Included

R 2

6 🕕 🙆 R 3 3000 3,71 R 3 - 3000

robot coupe

√			
650 W			
Single pha	ise		
3000 rpm			
✓			
3.7 L stair	less steel		
Stainless Included	steel smoo	oth bla	de

Choose your model:



R 3	Ref.	£	
R 3 230V/50/1	22383	1 460	

R 3 - 3000 Ref. £ 3-3000 230V/50/1 22389 **1 550**



Scan the QR-Code to see the cutter mixers in action.

Choose your options:



	ĸ	R Z		R 3 all models	
Options	Ref.	£	Ref.	£	
Coarse serrated blade Especially for grinding & kneading	27138	125	27288	135	
Fine serrated blade Especially for herbs & spices	27061	125	27287	135	
Additional smooth blade	27055	110	27286	110	
Wall blade holder	107810	60	107810	60	





R 4 - 1V

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Motor base	Metal
Bowl	4.5 L stainless steel
Blade	Stainless steel smooth blade Included

R 4 - 1V

R 4 - 1V 230V/50/1

Ref.

22434 1 660

£

R 4 - 2V

✓

900 W
3 phase
1500 rpm - 3000 rpm
✓
Metal
4.5 L stainless steel
Stainless steel smooth blade Included

Ref.

22437 **1 765**

£

robot / coupe R 4 V.V.

R 4 V.V.

•	/	1		

1000 W
Single phase
300 to 3500 rpm
\checkmark
Metal
4.5 L stainless steel
Stainless steel smooth blade Included

R 4 V.V. 230V/50-60/1 22412 2230

It is advisable to use a type A or type B GFCI

Ref.

£

R 4 V.V.

4

Choose your model:

Choose your options:

Scan see th in act

Scan the QR-Code to see the cutter mixers in action.

	R 4 all models	
Options	Ref.	£
Coarse serrated blade Especially for grinding & kneading	27346	150
Fine serrated blade Especially for herbs & spices	27345	150
Additional smooth blade	27344	135
Wall blade holder	107810	60

R 4 - 2V

R 4 - 2V 400V/50/3







CUTTER

TABLE-TOP CUTTER MIXERS



R 5 - 1V

Induction motor	\checkmark
Wattage	750 W
Voltage	Single phase
Speed	1500 rpm
Timer	✓
Pulse	✓
Motor base	Metal
Bowl	5.9 L stainless steel
Blade	Stainless steel smooth blade Included
	Blade cleaning tool - Included,
	coming soon
R-Mix [®]	-

R 5	- 2V
-----	------

\checkmark
1 500 W
3 phase
1500 rpm - 3000 rpm
\checkmark
✓
Metal
5.9 L stainless steel
Stainless steel smooth blade Included
Blade cleaning tool - Included, coming soon
_

√					
1 500 V	V				
Single p	bhase				
300 to 3	3500 rp				
✓					
√					
Metal					
5.9 L st	ainless	stee	I		
Stainles Included		l smo	oth b	lade	
Blade c		g tool	- Incl	uded,	
coming	soon				
\checkmark					

Choose your model:



R 5 - 1V 230V/50/1 24609 **2 630**

Ref.

£

R 5 - 1V

Scan the QR-Code to see the cutter mixers in action.

R 5 - 2V	Ref.	£
R 5 - 2V 400V/50/3	24614	2 555



R 5 all models

Choose your options:



Options	Ref.	£
Coarse serrated blade Especially for grinding & kneading	27305	335
Fine serrated blade Especially for herbs & spices	27304	335
Additional smooth blade	27303	320
Scraper arm	49552	95
Blade cleaning tool - Coming soon	49258	37



R 7 V.V.

Induction motor	\checkmark
Wattage	1 500 W
Voltage	Single phase
Speed	300 to 3500 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	7.5 L stainless steel
Blade	All stainless steel detachable, adjustable smooth blade assembly - Included
R-Mix [®]	✓

Choose your model:



	R 7 V.V.	Ref.	£
R 7 V.V. 230)/50-60/1	24711	3 535
e QR-Code to	It is advisable to use a type B GFCI	a type A or	

Scan the QR-Code to see the cutter mixers in action.

	R 7	V.V.
Options	Ref.	£
Stainless steel coarse serrated blade Especially for grinding & kneading	27308	515
Stainless steel fine serrated blade Especially for herbs & spices	27307	51
Additional stainless steel smooth blade	27306	49
Lower coarse serrated blade	49162	95
Upper coarse serrated blade	49163	95
Lower fine serrated blade	49164	95
Upper fine serrated blade	49165	95
Lower smooth blade	49160	85
Upper smooth blade	49161	85
Scraper arm	49552	95








TABLE-TOP CUTTER MIXERS



R 8

Induction motor	\checkmark
Wattage	2200 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	8 L stainless steel
Blade	All stainless steel detachable, adjustable 2 smooth blade assembly - Included
R-Mix [®]	-

2 smooth blade assembly - Included	
\checkmark	


All stainless steel detachable, adjustable



Choose your options:

Choose your model:		R	8	Ref.	£		R 8 \
your model.		R 8 400V/50/3		21291	4 450	R 8	V.V. 220-240V/5
		QR-Code to ttter mixers				4	It is advisable to u

R 8 V.V.	Ref.	£
R 8 V.V. 220-240V/50-60/1	21285	5 235



robot, coupe Raxy

R 8 V.V.

8 L stainless steel

√ 2200 W Single phase 300 to 3500 rpm

 \checkmark

	R 8 all models		
Options	Ref.	£	
Stainless steel coarse serrated 2-blade assembly Especially for grinding & kneading	27383	700	
Stainless steel fine serrated 2-blade assembly Especially for herbs & spices	27385	700	
Additional stainless steel 2 smooth blade assembly	27381	675	
Coarse serrated blade	59281	135	
Fine serrated blade	59282	135	
Smooth blade	59280	120	

Optional additional mini bowl	Ref.	£
3.5 litre stainless steel bowl R8 stainless steel smooth blade	27374	935
Stainless steel coarse serrated blade	27107	315
Additional stainless steel smooth blade	27106	295
Coarse serrated blade	101801S	100
Smooth blade	101800S	90







Induction motor	\checkmark
Wattage	2600 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	11.5 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
R-Mix [®]	-

R 10 V.V.

\checkmark

2600 W Single phase 300 to 3500 rpm

\checkmark

11.5 L stainless steel

All stainless steel detachable, adjustable 3 smooth blade assembly - Included

CUTTER

√

Choose your model:



R 10	Ref.	£	R 10 V.V.
R 10 400V/50/3	21391	5 405	R 10 V.V. 220-240V/50-60/1
QR-Code to utter mixers			H is advisable to use a type A or



or type B GFCI





	R 10 all models			
Options	Ref.	£		
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	27384	770		
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	27386	770		
Additional stainless steel 3 smooth blade assembly	27382	735		
Coarse serrated blade	59281	135		
Fine serrated blade	59282	135		
Smooth blade	59280	120		



Optional additional mini bowl	Ref.	£
4.5 litre stainless steel bowl R 10-R 15 stainless steel smooth blade	27375	1 035
Stainless steel coarse serrated blade	27107	315
Additional stainless steel smooth blade	27106	295
Coarse serrated blade	101801S	100
Smooth blade	101800S	90

BACK TO SUMMARY

FLOOR STANDING VERTICAL CUTTER MIXERS



STAINLESS STEEL FRAME

All stainless steel with 3 sturdy built-in legs to ensure total stability, minimum space requirements and easy cleaning.


WHEELS INCLUDED

3 retractable wheels for easy moving and cleaning.

STAINLESS STEEL BOWL Tiltable, removable bowl to make it easy to empty.

BACK TO SUMMARY

3 BLADES FOR BEST RESULTS



ØINNOVATION R-MIX FUNCTION

On R 15 V.V., R 20 V.V., R 30 V.V., R 45 V.V.

• To blend delicate ingredients without chopping.

• The **R-Mix**[®] function is designed for reverse rotation blending at variable speeds from 60 to 500 rpm to incorporate whole pieces of meat, crayfish tails, brunoises and diced vegetables to pâtés and terrines, whole raisins to buns, etc.



FLOOR STANDING VERTICAL CUTTER MIXERS



Find all our table-top models on page 82

*Quantities processed at the same time

600 1200 4 to 17 kg	1200+ 6 to 27 kg	1200+ 6 to 36 kg
	RIABLE SPEED from 300 to 3500 rp	
R 30 V.V.	R 45 V.V.	
Babase Babase Babase Babase Babase Babase	45 L • 3 phase • R-Mix*	
	2 SPEEDS 1500 and 3000 rpm	
R 30	R 45	R 60
Image: Second	to be the second s	Image: Content of the second secon

R-Mix®: Reverse rotation blending function

PERFORMANCE RATES

		Maximum capacity			Number	
Models	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)	of covers	Time
R 15 / R 15 V.V.	6 kg	9 kg	7.0 kg	7.0 kg	300 to 600	
R 20 / R 20 V.V.	8 kg	12 kg	10.0 kg	10.0 kg	300 to 600	
R 23	10 kg	14 kg	11.5 kg	11.5 kg	600 to 1200	1 to 4
R 30 / R 30 V.V.	12 kg	17 kg	14.0 kg	14.0 kg	600 to 1200	minutes
R 45 / R 45 V.V.	18 kg	27 kg	22.5 kg	22.5 kg	1200+	
R 60	25 kg	36 kg	30.0 kg	30.0 kg	1200+	

*Amount of raised dough with 60% hydration

BACK TO SUMMARY

CUTTER

FLOOR STANDING VERTICAL CUTTER MIXERS



R 15

Induction motor	\checkmark
Wattage	3000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
Bowl	15 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
R-Mix [®]	-





R 15 V.V.

\checkmark
3000 W
3 phase
300 to 3500 rpm
\checkmark
15 L stainless steel
All stainless steel detachable, adjustable
3 smooth blade assembly - Included
\checkmark

M5342
Not an a

Choose your model:

Choose your options:

R 15	Ref.	£
R 15 400V/50/3	51491	6 320
QR-Code to itter mixers		

R 15 V.V.	Ref.	£
R 15 V.V. 380-480V/50-60/3	51487	7 635
It is advisable to use a type A or type B G	iFCI	

in action.

	R 15 all models	
Options	Ref.	£
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57098	950
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57099	950
Additional stainless steel smooth 3 blade assembly	57097	905
Coarse serrated blade	59393	145
Fine serrated blade	59359	145
Smooth blade	59392	135



Optional additional mini bowl	Ref.	£
4.5 litre stainless steel bowl R 10-R 15 stainless steel smooth blade	27375	1 035
Stainless steel coarse serrated blade	27107	315
Additional stainless steel smooth blade	27106	295
Coarse serrated blade	101801S	100
Smooth blade	101800S	90



Induction motor	\checkmark
Wattage	4400 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	20 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
R-Mix [®]	-



R 20 V.V.

\checkmark
4400 W
3 phase
300 to 3500 rpm
\checkmark
20 L stainless steel
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
•

R-Mix[®]

Choose your model:



Choose your options:

Scan the QR-Code to
see the cutter mixers
in action.

R 20	Ref.	£
R 20 400V/50/3	51591	7 005
QR-Code to		

R 20 V.V.	Ref.	£
R 20 V.V. 380-480V/50-60/3	51587	8 620
It is advisable to use a type A or type B G	FCI	

	R 20 all models	
Options	Ref.	£
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57098	950
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57099	950
Additional stainless steel smooth 3 blade assembly	57097	905
Coarse serrated blade	59393	145
Fine serrated blade	59359	145
Smooth blade	59392	135



Induction motor	\checkmark
Wattage	4500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP85 control panel with digital timer	✓
Bowl	23 L stainless steel
Lid wiper	\checkmark
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
3 retractable	1

 \checkmark

R 30

 \checkmark

\checkmark
5400 W
3 phase
1500 rpm - 3000 rpm
√
\checkmark
28 L stainless steel
✓
All stainless steel detachable, adjustable 3 smooth blade assembly - Included

R 30 V.V.

oupe

\checkmark		
5400 W		
3 phase		
300 to 3500 rpm		
✓		
\checkmark		
28 L stainless steel		
✓		
All stainless steel detachabl adjustable 3 smooth blade	e,	

adjustable 3 smooth b assembly - Included

 \checkmark

J

Choose your model:

wheels R-Mix®



Choose your options: Scan the QR-Code to see the cutter mixers in action.

R 23

R 23 400V/50/3

Ref.

51331C **12 120**

£

R 30	Ref.	£
R 30 400V/50/3	52331C	14 030

		R 23		R 30 all models	
Options	Ref.	£	Ref.	£	
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57070	1 005	57075	1 070	
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57072	975	57077	1 005	
Additional stainless steel smooth 3 blade assembly	57069	980	57074	970	
Coarse serrated blade	118294S	205	118286S	225	
Fine serrated blade	118292S	205	118241S	175	
Smooth blade	118217S	145	117950S	160	
3-height GN1x1 adjustable trolley	49128	960	49128	960	





Induction motor	\checkmark
Wattage	10000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
IP85 control panel with digital timer	✓
Bowl	45 L stainless steel
Lid wiper	\checkmark
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
3 retractable wheels	✓
R-Mix [®]	-

R 45 V.V.

\checkmark
10000 W
3 phase
300 to 3500 rpm
✓

√

45 L stainless steel

\checkmark

All stainless steel detachable, adjustable 3 smooth blade assembly - Included

\checkmark J

R 60

11	000 W	
3 p	hase	
15	00 rpm - 3000 i	rpm
√		
√		
60	L stainless stee	el
√		
adj	stainless steel ustable 3 smoo sembly - Include	oth blade
√		
7		

Choose your model:



R 45 400V/50/3 53331C **21 555** Scan the QR-Code to see the cutter mixers in action.

R 45

Ref.

£



R 60	Ref.	£
R 60 400V/50/3	54331C	28 950

Choo	se
your	options:

		R 45 all models		R 60	
Options	Ref.	£	Ref.	£	
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57082	1 110	57092	1 660	
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57084	1 070	57095	1 615	
Additional stainless steel smooth 3 blade assembly	57081	1 005	57091	1 560	
Coarse serrated blade	118287S	240	118290S	335	
Fine serrated blade	118243S	190	118245S	280	
Smooth blade	117952S	175	117954S	235	
3-height GN1x1 adjustable trolley	49128	960	49128	960	

BACK TO SUMMARY

Robot Cook[®] COOKING CUTTER BLENDER





The 1st professional Cooking Cutter Blender!

The Robot Cook[®] emulsifies, grinds, mixes, chops, blends and kneads to perfection. The heating temperature is variable, up to 140°C, and is accurate to the nearest degree. The large capacity bowl means that large quantities can be produced when needed.



Robot Cook[®] THE KITCHEN ASSISTANT FOR CHEFS

Clever: Watertight lid including a no-splash safety function. Anti-vapour lid wiper so you can keep an eye on your preparation.



Ingenious: Special system to hold the blade in place so the bowl can be emptied safely.

Hygienic: All parts in contact with food can be easily removed and are dishwasher safe.

Easy Guide

Quiet: In the midst of the general hustle and bustle of the kitchen, Chefs appreciate how quiet it is.




Practical: The opening in the lid means ingredients can be added to the bowl without having to stop the appliance.

Efficient: Bowl scraper arm for ultra-fine, homogeneous preparations.

Functional: Large capacity 3.7 litre bowl for producing professional quantities.

Powerful: The powerful Robot Cook® features on a heavy duty commercial grade induction motor.

High-precision: Variable heating capacity up to 140°C, accurate to the nearest degree.



SETTING ZONE

Low and high heating capacity up to 140°C

Variable speed from 500 to 3500 rpm

- 1 Turbo/pulse function: up to 4500 rpm

Robot Cook® COOKING CUTTER BLENDER





Robot Cook[®]

Induction motor	\checkmark
Wattage	1800 W
Voltage	Single phase
Speed	 Variable speed from 100 to 3500 rpm High-speed turbo of 4500 rpm R-Mix blend speed 100 to 500 rpm Intermittent slow speed blade rotation every 2 seconds
Heating temperature	Up to 140°
Pulse	\checkmark
Bowl	3.7 L stainless steel
Scraper arm	\checkmark
Wall mounted blade holder	 Image: A state of the state of

Blades

Choose your model:

Choose your options: Fine serrated blade for blender function Included Smooth blade for cutter function - Included Blade cleaning tool - Included

Robot Cook®	Ref.	£
Robot Cook 230V/50/1	43001R	2 925



Scan the QR-Code to see the Robot Cook® in action.

Options	Ref.	£
Addtional bowl assembly with fine serrated blade	39854	1 075
Additional smooth blade for cutter function	49691	125
Additional fine serrated blade for blender function	39691	125



CHOP



BLEND



GRIND







BACK TO SUMMARY







THE SOLUTION FOR TEXTURE MODIFIED FOOD

The Blixer[®], especially designed for the healthcare sector, turns raw products into texture modified foods.

All foods, whether raw or cooked, sweet or savoury, whether entrees or mains, dessert or cheese, can be eaten by everyone at the table.

TABLE-TOP Blixer®

OPENING So that liquids and solid ingredients can be added during use.

LID Equipped with a seal for perfect watertightness.



Standard speed of

consistency.

3000 rpm for perfectly even

HIGH BOWL SHAFT High bowl shaft to process large liquid quantities.

INDUCTION MOTOR Very powerful, to withstand intensive use over a long period of time.

Easy Guide

INNOVATION

Blixer® ARM

For a more even

Easy to remove and clean for **perfect hygiene.**

consistency.



Fine serrated blade.

WHY HAVE A SECOND PROCESSING BOWL?

robot coupe*

Blixer°4 V.V.

4.5 L

Better organisation in the kitchen

Reduces waiting time between 2 wash-ups





BACK TO SUMMARY


HEALTHCARE SECTOR - TEXTURE MODIFIED MEALS.




DUO OF RAW RED CABBAGE AND CELERIAC



SALMON FILET AND CABBAGE



CAMEMBERT AND WHOLEMEAL BREAD



FRESHLY GRATED CARROTS



VEAL BLANQUETTE



RAW GRANNY SMITH APPLE COMPOTE

HOW TO CHOOSE YOUR Blixer®.

Calculate the total weight of the texture-modified portions required.

Ave	rage portion	Number of portions required	Total weight	Number of 200 g portions
Entree	80 g	X Portions =	g	Min
Meat / fish	100 g	X Portions =	g	
Vegetables / Carbs	200 g	X Portions =	g	Max
Dessert	80 g	X Portions =	g	

2> Refer to the indications of the amounts processed per operation given in the product description.

RESTAURANTS - GASTRONOMY

It didn't take long for traditional and Asian food chefs to adopt the Blixer® for all their preparations:

Emulsions, appetizers, tapenade, hummus, taramasalata, pesto, etc.
















• Single phase

Single phase

Single phase



PERFORMANCE RATES

	Quantities processed (kg)			Number	
Models	Bowl capacity (litres)	Min	Max	of 200 g portions	
Blixer [®] 2	2.9		Single portion mode	1	
Blixer [®] 3	3.7	0.3	2	2 to 10 😓	
Blixer [®] 4	4.5	0.4	3	2 to 15 😓	
Blixer® 5 - 5 V.V.	5.9	0.5	3.8	3 to 20 😓	
Blixer [®] 7 V.V.	7.5	0.6	4.8	3 to 25 😓	
Blixer® 8 - 8 V.V.	8	1	5.5	5 to 28 😓	
Blixer [®] 10 - 10 V.V.	11.5	2	6.5	10 to 33 ᠵ	

Find all our floor standing models on page 116



Blixer[®] 2

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Speed	3000 rpm
Pulse	\checkmark
Motor base	Composite material
Bowl	2.9 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap Included Blade cleaning tool - Included
Number of 200 g portions	Single portion

Blixer[®] 3 √

750 W
Single phase
3000 rpm
\checkmark
Composite material
3.7 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated blade with removable cap Included Blade cleaning tool - Included 2-10

Blixer[®] 4 - 1V

\checkmark	
900 W	
Single phase	
3000 rpm	
\checkmark	
Metal	
4.5 L stainless steel	
\checkmark	
\checkmark	
Stainless steel fine serrated	
blade with removable cap Included	
Blade cleaning tool - Included	

2-15

Choose your model:



Scan the QR Code to see the Blixer[®] in action.

Blixer [®] 2	Ref.	£
Blixer [®] 2 230V/50/1	33232	1 570
Blixer® 2 230V/50/1 + additional bowl assembly	33232 + 27369	2 170

Blixer [®] 3	Ref.	£
Blixer [®] 3 230V/50/1	33198	1 675
Blixer® 3 230V/50/1 + additional bowl assembly	33198 + 27337	2 350

Blixer [®] 4 - 1V	Ref.	£
Blixer [®] 4-1V 230V/50/1	33209	1 790
Blixer [®] 4-1V 230V/50/1 + additional bowl assembly	33209 + 27338	2 555

Choose your options:

	Blixe	Blixer [®] 2 Blixer [®]		er® 3
Options	Ref.	£	Ref.	£
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27369	600	27337	675
Additional fine serrated blade	27370	110	27447	110
Coarse serrated blade	27371	110	27448	110



Blixer[®] 4 - 2V

Induction motor \checkmark Wattage 1000 W Voltage 3 phase 1500 rpm - 3000 rpm Speed Pulse \checkmark Motor base Metal Bowl 4.5 L stainless steel Watertight lid \checkmark Blixer® arm \checkmark Blade Stainless steel fine serrated blade with removable cap Included Blade cleaning tool - Included Number of 200 g 2-15 portions

Choose your model:

Choose your options:

Blixer [®] 4 - 2V	Ref.	£
Blixer [®] 4-2V 400V/50/3	33215	1 870
Blixer® 4-2V 400V/50/3 + additional bowl assembly	33215 + 27338	2 635

Blixer [®] 4 V.V.	Ref.	£
Blixer [®] 4 V.V. 230V/50/1	33281	2 335
Blixer® 4 V.V. 230V/50/1 + additional bowl assembly	33281 + 27338	3 100

It is advisable to use a type A or type B GFCI

	Blixer [®] 4 all models	
Options	Ref.	£
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer $^{\circledast}$ arm	27338	765
Additional fine serrated blade	27449	110
Coarse serrated blade	27450	110

Blixer[®] 4 V.V.

\checkmark
1100 W
Single phase
300 to 3500 rpm
\checkmark
Metal
4.5 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated
blade with removable cap
Included
Blade cleaning tool - Included
2-15









Blixer[®] 5 - 2V

Induction motor	\checkmark
Wattage	1500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	5.9 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included Blade cleaning tool - Included, coming soon

Number of 200 g 3-20 portions

Choose your model:



Scan the QR Code to see the Blixer® in action.

Choose your options:

Blixer [®] 5 - 2V	Ref.	£
Blixer® 5-2V 400V/50/3	33259	2 700
Blixer® 5-2V 400V/50/3 + additional bowl assembly	33259 + 27322	3 820



Blixer[®] 5 V.V.

\checkmark
1500 W
Single phase
300 to 3500 rpm
\checkmark
Metal
5.9 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated blade with removable cap - Included

Blade cleaning tool - Included, coming soon 3-20

Blixer [®] 5 V.V.	Ref.	£
Blixer [®] 5 V.V. 230V/50-60/1	33265	3 140
Blixer® 5 V.V. 230V/50-60/1 + additional bowl assembly	33265 + 27322	4 260

It is advisable to use a type A or type B GFCI

	Blixer [®] 5 all models	
Options	Ref.	£
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27322	1 120
Additional fine serrated blade	27310	340
Coarse serrated blade	27311	340



Blixer[®] 7 V.V.

Induction motor	\checkmark
Wattage	1500 W
Voltage	Single phase
Speed	300 to 3500 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	7.5 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included Blade cleaning tool - Included, coming soon
Number of 200 g	3-25

Number of 200 g portions

Choose your model:



Blixer® 7 V.V. 230V/50-60/1 + 27323 + additional bowl assembly 4 It is advisable to use a type A or type B GFCI

Blixer® 7 V.V.

Blixer® 7 V.V. 230V/50-60/1

Scan the QR Code to
see the Blixer® in action.

Choose your options:

	Blixer [®] 7	V.V.	
Options	Ref		£
Additional accessory: bowl, fine serrated blade, lid and $Blixer^{\circledast}$ arm	2732	3 1	350
Additional composite blade assembly with stainless steel fine-serrated blades	2731	6	360
Composite blade assembly with stainless steel coarse-serrated blades	2731	7	360
All stainless steel fine-serrated blade	2731	3 5	520
All stainless steel coarse-serrated blade for grinding	2731	4 5	520
Lower fine-serrated blade	4916	6 1	100
Upper fine-serrated blade	4916	7 1	100
Lower coarse-serrated blade	4916	8 1	100
Upper coarse-serrated blade	4916	9 1	100


Ref.

33298

33298

3 680

5 0 3 0







MODIFIED TEXTURE AND DESCRIPTION OF THE OWNER.



Blixer[®] 8

Induction motor	\checkmark
Wattage	2200 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	8 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer® arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated blade assembly - Included
Number of 200 g portions	5-28



Blixer[®] 8 V.V.

\checkmark
2200 W
Single phase
300 to 3500 rpm
\checkmark
8 L stainless steel
\checkmark
\checkmark
All stainless steel detachable adjustable fine

serrated blade assembly - Included 5-28

Choose your model:	Blixer [®] 8	Ref.	£
your mouel.	Blixer [®] 8 400V/50/3	21311	4 720

Blixer [®] 8 V.V.	Ref.	£
Blixer [®] 8 V.V. 230V/50/1	21305	5 585

It is advisable to use a type A or type B GFCI 4

Choose your options:		Blixer [®] 8	all models
	Options	Ref.	£
	Additional stainless steel fine serrated blade	27377	700
	Fine serrated blade	59282	135

BACK TO SUMMARY



Blixer[®] 10

Induction motor	\checkmark
Wattage	2600 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	11.5 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer® arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly - Included
Number of 200 g portions	10-33

Blixer[®] 10 V.V.

\checkmark
2600 W
Single phase
300 to 3500 rpm
\checkmark
11.5 L stainless steel
\checkmark
\checkmark

All stainless steel detachable adjustable fine serrated 3 blade assembly - Included 10-33



MODIFIED TEXTURE

Choose your model:

Blixer[®] 10 Ref. Blixer[®] 10 400V/50/3 21411 5 680

Blixer [®] 10 V.V.	Ref.	£
Blixer [®] 10 V.V. 230V/50/1	21405	6 400

10 all models

£

770

135

It is advisable to use a type A or type B GFCI

-419		- Section	
-			
-	_	_	-

FINGER FOODS

Choose your options:		Blixer [®] 1
	Options	Ref.
	Additional stainless steel fine serrated blade	27378
	Fine serrated blade	59282

floor-standing **Blixer**®

🥑 INNOVATION 🤇

Blixer® ARM To improve turbulence and thus produce finer-textured preparations.



Easy Guide

CONTROL PANEL 0 to 15 minute timer, stainless steel flush-mounted control buttons and

flush-mounted control buttons and **pulse** control for greater cutting precision.

9 INNOVATION

BOWL-BASE TWIN-BLADE ------ASSEMBLY A Robot-Coupe[®] exclusivity to obtain a perfectly smooth consistency, even with small quantities.

STAINLESS STEEL FRAME All stainless steel with 3 sturdy built in legs to ensure total stability, minimum space requirements and easy cleaning.

See through watertight lid requiring a single movement to lock it into position. **Lid and seal can be removed** simply and quickly.

LID WIPER For perfect visibility during operation.

BOWL LOCKING LEVER Ergonomic lever to tilt the bowl at various angles, including horizontally.

WHEELS INCLUDED 3 retractable wheels for easy moving and cleaning.

C

····

MINNOVATION


STAINLESS STEEL BOWL Tiltable, removable bowl, a Robot-Coupe exclusivity. Capacity: 23, 28, 45 or 60 litres, depending on the model.

BACK TO SUMMARY


S C C M HEALTHCARE SECTOR - TEXTURE MODIFIED MEALS




DUO OF RAW RED CABBAGE AND CELERIAC



CUCUMBER AND TOMATO VARIATION




STEAK AND POTATO GRATIN



CAMEMBERT AND WHOLEMEAL BREAD

Cheese



LEMON TART

FLOOR-STANDING Blixer®



PERFORMANCE RATES

	Quantities processed (kg)			Number	
Models	Bowl capacity (litres)	Min	Max	of 200 g portions	
Blixer® 15 - 15 V.V.	15	3	10	15 to 50 😓	
Blixer® 20 - 20 V.V.	20	3	13	15 to 65 🔊	
Blixer [®] 23	23	4	15	20 to 75 📎	
Blixer® 30	28	4	20	20 to 100 📎	
Blixer [®] 45	45	6	30	30 to 150 😓	
Blixer [®] 60	60	6	45	30 to 225 😓	











Blixer[®] 15

Induction motor	\checkmark	\checkmark
Wattage	3000 W	3000 W
Voltage	3 phase	3 phase
Speed	1500 rpm - 3000 rpm	300 to 3500 rpm
Pulse	\checkmark	\checkmark
Bowl	15 L stainless steel	15 L stainless steel
See-through watertight lid	\checkmark	\checkmark
Removable Blixer [®] arm	\checkmark	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly	All stainless steel detachable adjustable fine serrated 3 blade assembly
Number of 200 g portions	15-50	15-50

Choose vour model:	Blixer [®] 15	Ref.	£
your mouel.	Blixer® 15 400V/50/3	51511	6 6 3 0

Blixer [®] 15 V.V.	Ref.	£
Blixer [®] 15 V.V. 400V/50/3	51507	8 130

4 It is advisable to use a type A or type B GFCI

Blixer[®] 15 V.V.

Choose your options:		Blixer [®] 1	5 all models
	Options	Ref.	£
	Additional stainless steel fine serrated blade	57102	810
	Fine serrated blade	59359	145





NORMAL TEXTURE

000000

1222222

Blixer[®] 20

Induction motor	\checkmark
Wattage	4400 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	20 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer [®] arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly
Number of 200 g	15-65

Blixer[®] 20 V.V.

\checkmark
4400 W
3 phase
300 to 3500 rpm
\checkmark
20 L stainless steel
\checkmark
1
V

All stainless steel detachable adjustable fine serrated 3 blade assembly 15-65



MODIFIED TEXTURE

FINGER FOODS

Choose your model:

portions

 Blixer® 20
 Ref.
 £

 Blixer® 20 400V/50/3
 51611
 7 340

Blixer [®] 20 V.V.	Ref.	£
Blixer [®] 20 V.V. 400V/50/3	51607	9 165

It is advisable to use a type A or type B GFCI

	1	
1	de la compañía de la Compañía de la compañía	3
E.		2
	3	X

Choo	se	
your	options:	

	Blixer [®] 20 all m		
Options	Ref.	£	
Additional stainless steel fine serrated blade	57102	810	
Fine serrated blade	59359	145	





Blixer[®] 23

Induction motor	\checkmark
Wattage	4500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP65 control panel with digital timer	\checkmark
Bowl	23 L stainless steel
See-through lid	\checkmark
Lid wiper	\checkmark
Blixer [®] arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated blade assembly - Included
3 retractable wheels	\checkmark
Number of portions	20-75

Blixer[®] 30

\checkmark
5400 W
3 phase
1500 rpm - 3000 rpm
\checkmark
\checkmark
28 L stainless steel
\checkmark
\checkmark
\checkmark
All stainless steel detachable adjustable fine serrated blade assembly - Included
\checkmark

20-100

Choose vour model:	Blixer [®] 23	Ref.	£	Blixer [®] 30	Ref.	£
your mouel.	Blixer [®] 23 400V/50/3	51341	12 710	Blixer® 30 400V/50/3	52341	14 665

			[®] 23	Blixer [®] 30	
Choose your options:	Options	Ref.	£	Ref.	£
your options.	Additional stainless steel fine serrated blade	57071	815	57076	855
	Fine serrated blade	118292S	205	118241S	175

BACK TO SUMMARY

Blixer[®] 45 ,

Induction motor	\checkmark
Wattage	9000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP65 control panel with digital timer	\checkmark
Bowl	45 L stainless steel
See-through lid	\checkmark
Lid wiper	\checkmark
Blixer [®] arm	\checkmark
Blade	All stainless steel detacha- ble adjustable fine serrated blade assembly - Included
3 retractable wheels	\checkmark
Number of portions	30-150

Blixer[®] 45

oupe

\checkmark						
11	000	W				
3	bhas	Э				
15	00 rp	om -	300	0 rpi	n	
\checkmark						
\checkmark						
		•••				
60	L st	ainie	SS S	teel		
\checkmark						
\checkmark						
\checkmark						
Al	stair	nless	s ste	el de	etach	1
ы	- adi	. at a k	ala f	-	~ ~ ~ ~	۰.

Blixer[®] 60

ai

oupe

ble adjustable fine serrated blade assembly - Included \checkmark 30-225


Ref.

Blixer® 60

Choo	se
your	model:

Choose your options:

Blixer® 45 400V/50/3	3341 22	2 190		ker® 60 0V/50/3	54341	29 58
		B	Blixer	® 45	Blixer	® 60
Options		Re	ef.	£	Ref.	£
Additional stainle fine serrated blac		570	83	880	57093	940
Fine serrated black	de	1182	435	190	118245S	280





MODIFIED TEXTURE

FINGER FOODS



Ref.

KITCHEN BLENDERS



EXPERTLY BLENDED IN SECONDS

Both powerful and durable, the BL 3 and BL 5 Kitchen Blenders are based on X-Flow technology, for a very fine, very fast result with both small and large quantities. Produces a wide range of sweet and savoury liquid preparations such as veloutés, soups, sauces, coulis, purées, pancake and cake batters.

> **KITCHEN** BLENDER



KITCHEN BLENDERS & DURABLE



robot @coupe





Scan the QR-Code to see our kitchen blenders in action.



HANDLES Soft Touch Secondary Easy-to-handle bowl even when full.

STAINLESS STEEL BOWL

Large capacity: 5 litres. Large quantities can be processed in a single batch.

·· TIMER

Less effort, greater precision and more regular results no matter what the recipe.



REMOVABLE CAP Possibility of adding liquids

processing.

function.

MOTOR BASE

height.

Easy Guide

• Powerful 1 200 W motor. · Designed especially to


reduce the loading

All stainless steel blade. Easily dismounted with the special tool provided and can be washed in water



Tight lock of the bowl and motor base designed to reduce vibrations







Maximum turbulence!

BLADE ASSEMBLY

4 large asymmetrical blades → maximises mixing volume

BOWL RIBS

specially designed \rightarrow improve ingredient circulation

LID

Flow-guides

 \rightarrow push the preparation back to the blades



KITCHEN BLENDERS





BL 3

Wattage	1 100 W
Voltage	Single phase
Speed	500 to 12 600 rpm
Pulse	\checkmark
R-Crush function	\checkmark
Timer	\checkmark
Bowl	3 L stainless steel
Blade	Stainless steel 4-blade assembly - included
X-Flow Technology	\checkmark

Choose your model:

BL 3	Ref.	
BL 3 230V/50/1	47011	1 675



Scan the QR-Code to see our kitchen blenders in action.

BL 3 230V/50/1	47011	1 675
Code to		

Choose your options:

Options	Ref.	£	
3 L bowl assembly	28350	675	



BL 5

Wattage	1 200 W
Voltage	Single phase
Speed	500 to 12 600 rpm
Pulse	\checkmark
R-Crush function	\checkmark
Timer	\checkmark
Bowl	5 L stainless steel
Blade	Stainless steel 4-blade assembly - included
X-Flow Technology	\checkmark

Choose	BL 5	Ref.
your model:	BL 5 230V/50/1	47001



Choose your options:


Scan the QR-Code to see our kitchen blenders in action.

Options	Ref.	£
5 L bowl assembly	28550	820

2 050









IMMERSION BLENDERS



FIVE PRODUCT RANGES AT THE FOREFRONT OF INNOVATION

Whatever their size, Robot-Coupe Immersion Blenders can mix, blend, emulsify, whip and knead in just a few seconds! Their performance in terms of hygiene, simplicity of use, versatility, service life and return on investment makes them the best on the market.



IMMERSION BLENDERS



AFTER SALES SERVICE: DETACHABLE POWER CORD

- The new patented "EasyPlug" system means that the power cord can be easily replaced during aftersales servicing.
- Indicator light: quick detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).



130 2023 Edition robot @ coupe

BACK TO SUMMARY



The emulsifying disc is available on the Mini and $\text{MicroMix}^{\circledast}$ product lines.

DISCOVER OUR PAN SUPPORTS TO RELIEVE STRAIN

BACK TO SUMMARY


Page 140



IMMERSION BLENDERS

IMMERSION BLENDERS





CLEANING

Blade and bell easy to remove.





To comply with the HACCP requirement, we advise users to store the bell and blade in a cool room after cleaning.

STRAIN RELIEF

Easy-to-use pan supports to relieve strain during use.

- 1 universal stainless steel pan support:
- To be attached to the edge of the pan.

2 3 adjustable stainless steel pan supports:

- Pan diameter: 330 to 650 mm
- Pan diameter: 500 to 1000 mm
- Pan diameter: 850 to 1300 mm





MICROMIX®

PERFORMANCE

The top choice of chefs. Only a few seconds are needed to make a perfect emulsion!





Patented emulsifying disc designed to make instant light fluffy **emulsions** that always keep their shape on the plate.



ONLY A FEW SECONDS ARE NEEDED TO MAKE A PERFECT EMULSION!





MicroMix[®]

Wattage	220 W
Voltage	Single phase
Speed	1500 to 14000 rpm
Blade and shaft	Length 165 mm - all stainless steel
Removable blade	\checkmark
Removable foot	\checkmark
Dimensions	Length 430 mm, Ø 61 mm
Gross weight	1.4 kg
Accessories	Stainless steel Aeromix - Included Wall support - Included



Scan the QR-Code to see the immersion blenders in action.



Special Merchandising Pack

to display 6 MicroMix mixers in showrooms.

	Ref.	Sales unit	£/ piece	Packaging unit	£/ piece
Micromix 230V/50/1	34901	1	250	1	250
Pack of 6 Micromix 230V/50/1	34951	1	245	6	1 470









MINI PRODUCT RANGE ·VARIABLE SPEED BUTTON Minimum size, maximum Easy to see and adjust. performance! For sauces, emulsions and small preparations. HANDLE DESIGN for easy grip and effortless use. **·STAINLESS STEEL MOTOR** HOUSING robot @ coupe Mini MP 190 V.V. last longer. **Detachable stainless steel blade** and shaft for perfect hygiene. INNOVATION Easv uide



Blade designed for optimum blending.



To make the immersion blender

AEROMIX

Patented emulsifying tool designed to make instant light fluffy emulsions that always keep their shape on the plate.



BLADE



AEROMIX For emulsions





BACK TO SUMMARY







Mini MP 160 V.V. Mini MP 190 V.V.

Wattage	240 W
Voltage	Single phase
Speed	2000 to 12500 rpm
Blade, bell and shaft	Length 160 mm - all stainless steel
Removable blade	\checkmark
Removable bell	No
Removable foot	\checkmark
Dimensions	Length 455 mm, Ø 78 mm
Gross weight	2.4 kg
Accessories	Stainless steel Aeromix Included Wall support - Included

270 W
Single phase
2000 to 12500 rpm
Length 190 mm - all stainless
steel
\checkmark
\checkmark
\checkmark
Length 485 mm, Ø 78 mm
2.5 kg
Stainless steel Aeromix
Included
Wall support - Included

Mini MP 240 V.V.

290 W
Single phase
2000 to 12500 rpm
Length 240 mm - all stainless steel
✓
\checkmark
\checkmark
Length 535 mm, Ø 78 mm
2.5 kg
Stainless steel Aeromix Included Wall support - Included

Choose your model:



Mini MP 160 V.V. Ref. £ Mini MP 160 V.V. 34741 295 230V/50/1

Scan the QR-Code to see the immersion blenders in action.



Mini MP 190 V.V. Mini MP 240 V.V. Ref. £ Ref. Mini MP 190 V.V. Mini MP 240 V.V. 34751 360 34761 230V/50/1 230V/50/1



Whisk function Mini MP 240 Combi See page 146

£

425



Mixipot[®]

All stainless steel induction suitable recipients, ideal for all your preparations.

Models	Ref.	£
4-litre Mixipot	103925	65

CMP COMPACT PRODUCT RANGE

Compact, easy-to-handle, high-performance.

For restaurants & cafés

POWERFUL

High-Power motor: +15 % for greater efficiency.



PERFORMANCE Optimum blending for a fine textured end product in a minimum amount of time.





CLEANING Removable stainless steel bell and blade for easy cleaning and maintenance.



COMFORT

Variable speed for greater flexibility when making sophisticated preparations.

NFW



ERGONOMICS Light, compact, easy-to-handle appliance.

The lug on the motor base can be used to rest the mixer on the rim of a pan to make it easier to handle and remove some of the strain.

The lug allows to wind the cord to make it easier to store and prevent wear and tear.

AFTER SALES SERVICE: DETACHABLE POWER CORD.

- The new patented "EasyPlug" system means that the power cord can be easily replaced during aftersales servicing.
- Indicator light: rapid detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).



BACK TO SUMMARY



CMP 250 V.V.

Wattage	310 W
Voltage	Single phase
Speed	2300 to 9600 rpm (self regulating system)
Blade, bell and shaft	Length 250 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
Dimensions	Length 650 mm, Ø 94 mm
Gross weight	3.9 kg
Accessories	Wall support - Included

CMP 250 V.V.

CMP 250 V.V.

230V/50/1

Ref.

34241B **470**

CMP 300 V.V.

350 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 300 mm -
all stainless steel
\checkmark
\checkmark
No
Length 660 mm,
Ø 94 mm
3.9 kg
Wall support - Included

CMP 300 V.V.

CMP 300 V.V.

230V/50/1

Ref.

34231B 520

£

CMP 350 V.V. CMP 400 V.V.

400 W
Single phase
2300 to 9600 rpm (self regulating system)
Length 350 mm -
all stainless steel
✓
\checkmark
No
Length 700 mm, Ø 94 mm
4.1 kg Wall support - Included

420 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 400 mm -
all stainless steel
\checkmark
\checkmark
No
Length 763 mm,
Ø 94 mm
4.1 kg
Wall support - Included

Choose your model:



blenders in action.

Whisk function CMP 250 Combi See page 147

£

Whisk function CMP 300 Combi

CMP 350 V.V.

CMP 350 V.V.

230V/50/1

Ref.

34251B **550**

£

CMP 400 V.V.

CMP 400 V.V.

230V/50/1

Ref.

34261B **595**

£

See page 147





All stainless steel induction suitable recipients, ideal for all your preparations.

Models Ref.		£
4-litre Mixipot	103925	65

BACK TO SUMMARY

MP/CMP PAN SUPPORTS

Pan supports reduce MSD risks, relieve strain and make it easier to control preparations.

They enable the immersion blender to be tilted effortlessly or left to do the job by itself. Made entirely of stainless steel, they can be removed completely, are easy to clean and practical to use.

Universal pan support: Fits all pan sizes.





2 Adjustable pan supports:

Three pan supports are available as an option. They adapt to the size of the pan:

- pan Ø from 330 mm to 650 mm.
- pan Ø from 500 mm to 1 000 mm.
- pan Ø from 850 mm to 1 300 mm.













Stainless steel pan supports

1 universal stainless steel pan support 🕕	Ref.	£
To be attached to the edge of the pan.	27358	85
3 adjustable stainless steel pan supports 2	Ref.	£
For 330 to 650 mm diameter pans	27363	355
For 500 to 1000 mm diameter pans	27364	360
For 850 to 1300 mm diameter pans	27365	370

MP ULTRA LARGE PRODUCT RANGE

Even better performance and ergonomics!



AFTER SALES SERVICE: DETACHABLE POWER CORD*

- 1 The new patented "EasyPlug" system means that the power cord can be easily replaced during aftersales servicing.
- **2** Indicator light: rapid detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).











MP 350 Ultra

Wattage	440 W
Voltage	Single phase
Speed	9500 rpm
Blade, bell and shaft	Length 350 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
EasyPlug	\checkmark
Dimensions	Length 740 mm, Ø 125 mm
Gross weight	6.2 kg
Accessories	Wall support - Included

MP 350 Ultra

MP 350 Ultra 230V/50/1

MP 350 Ultra V.V.

440 W
Single phase
1500 to 9000 rpm (self regulating system)
Length 350 mm - all stainless steel
\checkmark
\checkmark
No
\checkmark
Length 740 mm, Ø 125 mm
6.4 kg
Wall support - Included

Choose your model:



Scan the QR-Code to see the immersion blenders in action.

Ref.	£	MP 350 Ultra V.V.	Ref.	£
34801L	540	MP 350 V.V. Ultra 230V/50/1	34841L	595



Whisk function MP 350 Combi Ultra See page 148





MP 450 Ultra

Wattage	500 W
Voltage	Single phase
Speed	9500 rpm
Blade, bell and shaft	Length 450 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
EasyPlug	\checkmark
Dimensions	Length 840 mm, Ø 125 mm
Gross weight	6.3 kg
Accessories	Wall support - Included

MP 450 Ultra V.V.

500 W
Single phase
1500 to 9000 rpm (self regulating system)
Length 450 mm - all stainless steel
\checkmark
\checkmark
No
\checkmark
Length 840 mm, Ø 125 mm
6.5 kg
Wall support - Included

Choose your model:



	MP 450 Ultra 230V/50/1
Scan the QR-Co to see the imme blenders in actio	ersion

MP 450 Ultra

Ref.	£		MP 450 Ultra V.V.	Ref.	£
34811L	600	MP	450 V.V. Ultra 230V/50/1	34851L	650
			Whisk function MP 450 Combi UI See page 148	ltra	



MP 550 Ultra

Wattage	750 W
Voltage	Single phase
Speed	9000 rpm
Blade, bell and shaft	Length 550 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
Second handle	Removable EasyGrip handle
Electronic booster system	No
EasyPlug	\checkmark
Dimensions	Length 940 mm, Ø 125 mm
Gross weight	6.6 kg
Accessories	Wall support - Included

850 W
Single phase
9500 rpm
Length 600 mm - all stainles

MP 800 Turbo

850 W	1000 W
Single phase	Single phase
9500 rpm	9500 rpm
Length 600 mm - all stainless steel	Length 740 mm - all stainless steel
\checkmark	\checkmark
\checkmark	\checkmark
No	No
Removable EasyGrip handle	Integrated stainless steel handle
No	Electronic booster system for motor
\checkmark	\checkmark
Length 980 mm, Ø 125 mm	Length 1130 mm, Ø 125 mm
7.4 kg	9.2 kg
Wall support - Included	Wall support - Included

Choo	se
your	mode





blenders in action.

MP 550 Ultra

Ref.

34821LH

£

865





MP 600 Ultra Ref. MP 800 Turbo Ref. £ £ MP 600 Ultra MP 800 Turbo 34831LH **1 000** 34891L 1 1 4 0 230V/50/1 230V/50/1

Stainless steel pan supports

1 universal stainless steel pan support 🚺		£
To be attached to the edge of the pan.	27358	85
3 adjustable stainless steel pan supports 2		£
For 330 to 650 mm diameter pans	27363	355
For 500 to 1000 mm diameter pans	27364	360
For 850 to 1300 mm diameter pans	27365	370

BACK TO SUMMARY

COMBI PRODUCT RANGE

The Robot-Coupe whisk attachment available for Mini MP Combi, CMP Combi, MP Combi Ultra and MP FW mixers is designed to emulsify, mix, shell, beat and knead.

POWERFUL

High-strength motor: +15 % for greater efficiency.

EASY TO OPERATE

Variable speed button easy to use with one hand.

> obot + coupe MP 450 F.W. Ultra

ERGONOMIC

Ergonomic handle for easier grasping.

CONVENIENT

Self regulating speed system for sophisticated preparations.

Salad dressing, mayonnaise, sauces, etc.

Pancake batter, tomato pulp, seasoning, etc.

Semolina, rice, wheat, quinoa, etc.



MIX



BEAT



KNEAD/MASH



Mashed potatoes, doughnut dough, batter, etc.

Egg whites, chocolate mousse, whipped cream, etc.



METAL WHISK BOX

HEAVY DUTY Metal gears inside 2 metal housings to stand up to heavy duty use.

robot in coupe CNP 300 Centr

CLEANING

Overmoulded whisks to ensure perfect hygiene.

ERGONOMIC

Fast coupling of whisks to the gearbox and the gearbox to the motor housing for easy assembly and disassembly.

EMULSIFY







Mini MP 190 Combi

Wattage	270 W
Voltage	Single phase
Speed	2000 to 12500 rpm for mixer function 350 to 1560 rpm for whisk function
Blade, bell and shaft	Length 190 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark
Metal whisk box	\checkmark
Dimensions	Total length with tube 485 mm with whisk 550 mm, Ø 78 mm
Gross weight	2.7 kg
Accessories	Wall support - Included

Mini MP 240 Combi

290 W
Single phase
2000 to 12500 rpm for mixer function 350 to 1560 rpm for whisk function
Length 240 mm - all stainless steel
\checkmark
✓
\checkmark
\checkmark
Total length with tube 535 mm with whisk 550 mm, Ø 78 mm
2.8 kg
Wall support - Included

Choose vour model:	Mini MP 190 Combi	Ref.	£	Mini MP 240 Combi	Ref.	£
your model:	Mini MP 190 Combi 230V/50/1	34771	565	Mini MP 240 Combi 230V/50/1	34781	625
				L		



Scan the QR-Code to see the immersion blenders in action.

Choose your options:

	Mini MP 1	Mini MP 190 Combi Mini MP 240 Combi		240 Combi
Option	Ref.	£	Ref.	£
Mini MP whisk attachment	27333	215	27333	215



Mixipot[®]

All stainless steel induction suitable recipients, ideal for all your preparations.

Models	Ref.	£
4-litre Mixipot	103925	65



CMP 250 Combi

Wattage	310 W
Voltage	Single phase
Speed	2300 to 9600 rpm for mixer function, 500 to 1800 rpm for whisk with self regulating speed system
Blade, bell and shaft	Length 250 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark equipped with a 3-level watertightness system
Metal whisk box	\checkmark
Dimensions	Total length with tube 640 mm with whisk 610 mm, Ø 125 mm
Gross weight	5.6 kg
Accessories	Wall support - Included

CMP 250 Combi Ref. £ CMP 250 Combi 230V/50/1 34301B **705**

CMP 300 Combi

350 W
Single phase
2300 to 9600 rpm for mixer function, 500 to 1800 rpm for whisk with self regulating speed system
Length 300 mm - all stainless steel
\checkmark
\checkmark
\checkmark equipped with a 3-level watertightness system
\checkmark
Total length with tube 700 mm with whisk 610 mm, Ø 125 mm
5.7 kg
Wall support - Included

CMP 300 Combi	Ref.	£
CMP 300 Combi 230V/50/1	34311B	745

Choose your options:

Choose

ПП

your model:

3HD

Scan the QR-Code to see the immersion blenders in action.


	CMP 25	CMP 250 Combi		CMP 300 Combi	
Options	Ref.	£	Ref.	£	
CMP Combi whisk attachment	27248	235	27248	235	
Mixer foot	27249	190	27250	205	





All stainless steel induction suitable recipients, ideal for all your preparations.

Models	Ref.	£
4-litre Mixipot	103925	65



MP 350 Combi Ultra

Wattage	440 W
Voltage	Single phase
Speed	1500 to 9000 rpm for mixer function, 250 to 1500 rpm for whisk function with self regulating speed system
Blade, bell and shaft	Length 350 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark
Metal whisk kit	\checkmark
Detachable whisk	\checkmark
EasyPlug	\checkmark
Dimensions	Total length with tube 790 mm with whisk: 805 mm, Ø 125 mm
Gross weight	7.9 kg
Accessories	Wall support - Included

MP 350 Combi Ultra

MP 350 Combi Ultra 230V/50/1

Choose your model:



Choose your options:

	MP 350 G	MP 350 Combi Ultra		MP 450 Combi Ultra	
Options	Ref.	£	Ref.	£	
MP Combi whisk attachment	27210	280	27210	280	
Mixing attachment	27355	520	27355	520	
Mixer foot	39354	210	39355	225	

Ref.

34861L

£

850

Stainless steel pan supports 1 universal stainless steel pan support



0	2
\mathcal{N}	MAR.
5	P. C. L

Scan the QR-Code to see the immersion blenders in action.

MP 450 Combi Ultra

50	0 W
Si	ngle phase
25	00 to 9000 rpm for mixer function, 0 to 1500 rpm for whisk function with self gulating speed system
Le	ngth 450 mm - all stainless steel
\checkmark	
wi	tal length with tube 890 mm th whisk 840 mm, Ø 125 mm 2 kg
0.1	- ··ʊ

Wall support - Included

MP 450 Combi Ultra	Ref.	£
MP 450 Combi Ultra 230V/50/1	34871L	905

BACK TO SUMMARY







MP 450 FW Ultra

Wattage	500 W
Voltage	Single phase
Speed	250 to 1500 rpm (self regulating system)
Whisk	280 mm long detachable whisk

Metal whisk box	\checkmark
EasyPlug	\checkmark
Dimensions	Length 800 mm, Ø 125 mm
Gross weight	8.6 kg
Accessories	Wall support - Included

Ref.

34881L

710

Choose MP 450 FW Ultra your model: MP 450 FW Ultra 230V/50/1 Scan the QR-Code to see the immersion blenders in action.

MP 450 XL FW Ultra

500 W


Single phase 150 to 510 rpm (self regulating system) Detachable mixing attachment 690 mm long

\checkmark

 \checkmark Length 1210 mm, Ø 175 mm 8.6 kg

Wall support - Included

MP 450 XL FW Ultra	Ref.	£
MP 450 XL FW Ultra 230V/50/1	34281L	950



bot rcoupe IP 450 F.W

> Ultra 100

AUTOMATIC JUICE EXTRACTORS



ULTRA FRESH FRUIT JUICE IN JUST A FEW SECONDS!

Robot Coupe juice extractors partner professionals in a wide variety of sectors: bars, restaurants, hotels, institutions and supermarkets.

Quick, efficient and heavy duty with a fast ROI, they provide the ideal solution for making large quantities of ultra fresh fruit and vegetable juices.

AUTOMATIC JUICE EXTRACTORS

ATIC FEED

Ø 79 mm **FEED-HEAD** ···· For whole fruit and vegetables.

AUTOMATIC FEED TUBE

- With the exclusive automatic feed system, fruit and vegetables are processed effortlessly.
- Fast: 25 cl in just 6 seconds.




NEW

Anti-splash spouts in 2 different sizes*:

- Jug / Blender bowl
- 2 Served by the glass







NEW SLOPING BASE* For optimum evacuation of juice.

MOTOR

- Quiet so it can be used right in front of the customer.
- 1000 W designed for intensive use throughout the day**

Pulp is ejected under the worktop**

Two ways of using the juicer:



Pulp ejected into a container. Large capacity translucent pulp collector.

Continuous pulp ejection**. Pulp ejection chute: continuous pulp ejection directly into a bin under the worktop.

*J 80 Buffet and J 100 **J 100 only



BACK TO SUMMARY

OUR USERS



BARS, RESTAURANTS AND HEALTHCARE FACILITIES

Fresh fruit and vegetable juices are a way of adding a touch of freshness to bar and restaurant menus. They are also highly appreciated in hospitals and retirement homes to prevent residents from being dehydrated.



HOTELS, CANTEENS AND CAFETERIAS

Quiet and easy to operate, Robot-Coupe juice extractors provide self-service in hotel breakfast bars and school canteens.



JUICE BARS AND SUPERMARKETS

Especially designed for intensive use, our juice extractor range is perfect for the production of large quantities.



Rapid return on investment:

- On average the sale of 500 glasses of juice will write off the cost of a J 100 juice extractor.
- Most efficient juicer on the market for the most frequently used ingredients.



J 80

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Flow rate	120 L/hr
Bowl	Stainless steel
Chute	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel
Useful height under spout	155 mm
TYPE OF SERVICE: Glass	✓
Jug	✓
Blender bowl	-
No-splash spout	✓ - 1 size
Sloping base	-
Drip catcher tray	\checkmark
Automatic pulp ejection	\checkmark
Translucent pulp collector	6.5 L
Continuous pulp ejection chute	-

J 80

J 80 230V/50/1

J 80 Buffet

\checkmark
700 W
Single phase
120 L/hr
Stainless steel
✓ - Automatic Ø 79 mm
Stainless steel
Stainless steel
177 mm
\checkmark
✓
-
✓ - 2 sizes
✓
🗸 - Large capacity
✓
6.5 L
-

J 80 Buffet

J 80 Buffet 230V/50/1

Ref.

56201B 1 510

Choose your model:



Scan the QR Code to see the juice extractor in action.

Choose your options:

	J 80 all	models
Accessories	Ref.	£
Base + XL drip tray + long spout kit	49230	215

Ref.

56001B **1 310**




J 100

Induction motor	\checkmark
Wattage	1000 W
Voltage	Single phase
Flow rate	160 L/hr
Bowl	Stainless steel
Chute	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel - For intensive use
Useful height under spout	251 mm
TYPE OF SERVICE: Glass	\checkmark
Jug	\checkmark
Blender bowl	\checkmark
No-splash spout	✓ - 2 sizes
Sloping base	\checkmark
Drip catcher tray	✓ - Large capacity
Automatic pulp ejection	\checkmark
Translucent pulp collector	7.2 L
Continuous pulp ejection chute	✓



Choose

J 100 230V/50/1



		J 100	
Choose your options:	Accessories	Ref.	£
Jour options.	Base + XL drip tray + long spout kit	49230	215

Ref.

56101B **1815**







JUICE AND COULIS EXTRACTOR

- Juicing of high-pulp fruit and vegetables.
- Extraction of small amounts of cooked or soft fruit and vegetable coulis.
- Keeps beneficial skin, seeds and fibre.



C 40

Induction motor	\checkmark
Wattage	500 W
Voltage	230 V single-phase
Speed	1,500 rpm
Flow rate	12 L/hr
Bowl	Composite material

Choose your model:	C 40	Ref.	£
	C 40 230V/50/1	55041	630

Gaspacho, tomato sauce, meat and fish marinades, smoothies, fruit coulis, sorbets and ice-cream.







BACK TO SUMMARY

AUTOMATIC SIEVES

Our multi-purpose, heavy duty, automatic sieves are designed to make fruit coulis and pulp, vegetable mousse, stock, fish soups, etc. by separating seeds, stones, fibres and shells without grinding them. The continuous feed system makes it easy to use and a great time saver, especially for homemade dishes.

AUTOMATIC SIEVES

HOPPER

Continuous feeding of washed ingredients that have not been shelled or seeded.

PERFORATED BASKET

The products fall inside the basket where they are centrifuged.

PADDLES

System of paddles rotating at 1500 rpm, causing the ingredients inside the basket to be separated by centrifugal force.



FINISHED PRODUCT EJECTION CHUTE There is no bitter taste in the finished product when it comes out the chute because the seeds, stones, bones and shells are not ground.



WASTE EJECTION CHUTE That is, skins, seeds, stones, tails, shells, fibres, etc.





1 mm (Standard)



TOMATO, CAPSICUM, APPLE COMPOTE, etc.



FISH AND SHELLFISH SOUP



2 mm



3 mm



OLIVES



CHERRIES, PLUMS, etc.



5 mm



APRICOTS



PEACHES, PRUNES, etc.



0.5 mm To filter fibres and very fine impurities. Used in addition to the 1 mm perforated basket.



BERRIES, CHESTNUTS, etc.



PLANT-BASED BEVERAGES (COCONUT MILK, ALMOND MILK, etc.)





C 80

Induction motor	\checkmark
Wattage	650 W
Voltage	Single phase
Speed	1500 rpm
Flow rate	60 kg/hr
Continuous feed	\checkmark
Continuous waste ejection	\checkmark
Motor base	Stainless steel
Bowl	Stainless steel
Feet	-
Hopper	Stainless steel
Table-top model	\checkmark
Floor-standing model	-
Perforated basket	1 mm perforated basket - Included

C 120

\checkmark
900 W
Single phase
1500 rpm
120 kg/hr
✓
✓
Stainless steel
Stainless steel
Stainless steel
Stainless steel
-
\checkmark
1 mm perforated basket - Included

4 980

Choose y	vour	mod	el:
0110030	your	mou	



Scan the QR Code to see the automatic sieve in action.

C 80	Ref.	£	C 120	Ret.
C 80 230V/50/1	55013	2 405	C 120 230V/50/1	55033

	C	80	C 1	20
Options	Ref.	£	Ref.	£
Perforated basket 0.5 mm	57009	390	57211	540
Perforated basket 1.5 mm	-	-	57042	355
Perforated basket 2 mm	-	-	57019	390
Perforated basket 3 mm	57008	330	57156	390
Perforated basket 5 mm	-	-	57020	540
Additional 1 mm perforated basket	57007	330	57145	390
Additional rubber scraper (per unit)	100338S	50	100702S	50



C 200 Special Industry C 200 V.V.

Induction motor	\checkmark	\checkmark
Wattage	1800 W	1800 W
Voltage	3 phase	Single phase
Speed	1500 rpm	100 - 1800 rpm
Flow rate	150 kg/hr	150 kg/hr
Continuous feed	✓	\checkmark
Continuous waste ejection	\checkmark	✓
Motor base	Stainless steel	Stainless steel
Bowl	Stainless steel	Stainless steel
Feet	Stainless steel	Stainless steel
Hopper	Stainless steel	Stainless steel
Table-top model	-	-
Floor-standing model	\checkmark	\checkmark
Perforated basket	1 mm and 3 mm perforated baskets Included	1 mm and 3 mm perforated baskets Included

Choose your model:

C 200 Special Industry	Ref.	
C 200 Special Industry 400V/50/3	55015	6 500

C 200 V.V.	Ref.	£
C 200 V.V. 230V/50/1	55018	8 955

It is advisable to use a type A or type B GFCI

Choose your options:

	C 200 all	models
Options	Ref.	£
Perforated basket 0.5 mm	57211	540
Perforated basket 1.5 mm	57042	355
Perforated basket 2 mm	57019	390
Perforated basket 3 mm	57156	390
Perforated basket 5 mm	57020	540
Additional 1 mm perforated basket	57145	390
Additional rubber scraper (per unit)	100702S	50

TECHNICAL DATA

FOOD I			Weight (kg)									
Description	Ref.	Weller	Single	0 mbaara		Machine	•••••		Packaging	•	Net	0
Description		Wattage	phase	3 phase	L	D	H	L	D	H	Net	Gross
R 201 XL 230V/50/1	22571	550	•		220	280	555	400	300	540	10	11
R 201 XL Ultra 230V/50/1	22591	550	•		220	280	555	400	300	540	10	11
R 211 XL Ultra 230V/50/1	2119	550	•		220	360	505	610	410	570	13	14
R 301 230V/50/1	2539	650	•		355	305	570	610	410	570	14	17
R 301 Ultra 230V/50/1	2540	650	•		355	305	570	610	410	570	14	17
R 401 230V/50/1	2427	700	•		320	305	570	610	410	570	18	20
R 402 230V/50/1	2458	750	•	0 1 1 1	320	305	590	610	410	570	21	23
R 402 400V/50/3	2438	750		•	320	305	590	610	410	570	22	24
R 402 V.V. 230V/50/1	2443	1 000	•	• • •	320	305	590	610	410	570	22	23
R 502 400V/50/3	2382	900		•	380	365	670	490	390	650	29	34
R 502 V.V. 230V/50-60/1	2389	1 500	•		380	365	670	490	390	650	30	35
R 752 400V/50/3	2113	1 800		•	380	365	710	490	390	650	33	38
R 752 V.V. 230V/50-60/1	2080	1 500	•	•	380	365	710	490	390	650	34	38

VEGETABLE PREI	PARA	TION I	MACH	IINES	Dimensions (mm)							Weight (kg)		
Description	Ref.	Wattage	Single	Three	Machine			Packaging			Net	Croco		
Description	Ket.	wattage	phase	phase	L	D	H	L	D	H	Net	Gross		
CL 20 230V/50/1	22395	400	•		325	310	570	400	385	610	11	12		
CL 40 230V/50/1	24571	500	•		345	330	590	400	385	610	14	15		
CL 50 - 1V 230V/50/1	24442	550	•		380	305	595	400	390	640	18	20		
CL 50 - 1V 400V/50/3	24446	550		•	380	305	595	400	390	640	18	20		
CL 50 - 2V 400V/50/3	24449	600		٠	380	305	595	400	390	640	18	20		
CL 50 Ultra - 1V 230V/50/1	24470	550	•		380	305	595	400	390	640	18	20		
CL 50 Ultra - 1V 400 V/50/3	24473	550		٠	380	305	595	400	390	640	18	20		
CL 50 Ultra - 2V 400V/50/3	24476	600		٠	380	305	595	400	390	640	18	20		
CL 50 Ultra Pizza 230V/50/1	2028W	550	٠	٠	380	305	595	400	390	640	18	20		
CL 50 Gourmet 230V/50/1	24555	550	٠		390	340	610	400	390	640	20	22		
CL 52 - 1V 230V/50/1	24492	750	٠		360	340	690	400	390	800	26	28		
CL 52 - 2V 400V/50/3	24501	900		٠	360	340	690	400	390	800	26	28		
CL 55 Pusher Feed Head 230V/50/1	2252	1 100	•		700	359	1100	1120	785	510	35	54		
CL 55 Pusher Feed Head 400V/50/3	2214	1 100		•	700	359	1100	1120	785	510	35	54		
CL 55 2 Feed Head 230V/50/1	2073	1 100	•		865	396	1270	1120	785	510	42	61		
CL 55 2 Feed Head 400V/50/3	2211	1 100		•	865	396	1270	1120	785	510	42	61		
CL 60 Pusher Feed Head 400V/50/3	2319	1 500		•	335	560	1160	1120	800	900	57	83		
CL 60 V.V. Pusher Feed Head 230V/50/1	2323	1 500	•		460	770	1355	1120	800	900	69	95		
CL 60 2 Feed Head 400V/50/3	2325	1 500		•	460	770	1355	1120	800	900	69	95		
CL 60 V.V. 2 Feed Head 230V/50/1	2329	1 500	٠		460	770	1355	460	770	1355	69	95		

CUTT	er mi	XERS			Dimensions (mm)							ht (kg)
Description	Dof	Wattons	Single	2 nhoos		Machine	•••••	Packaging			Net	
Description	Ref. \	Wattage	phase	3 phase	L	D	H	L	D	H	Net	Gross
R 2 230V/50/1	22107	550	•		200	280	350	400	300	540	9	11
R 3 1500 230V/50/1	22383	650	•	•	210	320	400	400	300	540	10	11
R 3 3000 230V/50/1	22389	650	•	•	210	320	400	400	300	540	12	13
R 4 - 1V 230V/50/1	22434	700	•		225	305	440	400	300	540	13	14
R 4 - 2V 400V/50/3	22437	900		•	225	305	440	400	300	540	17	18
R 4 V.V. 230V/50-60/1	22412	1 000	•		225	305	460	400	300	540	17	18
R 5 - 1V 230V/50/1	24609	750	•		280	365	510	490	390	650	21	23
R 5 - 2V 400V/50/3	24614	1 500		•	280	365	510	490	390	650	21	24
R 5 V.V. 230V/50-60/1	24623	1 500	•	•	280	365	510	490	390	650	22	24
R 7 V.V. 230V/50-60/1	24711	1 500	•	•	280	365	540	490	390	650	23	26
R 8 400V/50/3	21291	2 200		•	315	545	585	700	470	700	37	45
R 8 V.V. 230V/50/1	21285	2 200	•		315	545	585	700	470	700	38	47
R 10 400V/50/3	21391	2 600		•	345	560	660	700	470	700	42	51
R 10 V.V. 230V/50/1	21385	2 600	•		345	560	660	700	470	700	47	54
R 15 400V/50/3	51491	3 000		•	370	615	680	765	465	780	50	59
R 15 V.V. 380-480V/50-60/3	51487	3 000		•	370	615	680	765	465	780	50	59
R 20 400V/50/3	51591	4 400		•	380	630	760	765	465	780	77	86
R 20 V.V. 380-480V/50-60/3	51587	4 400		•	380	630	760	765	465	780	77	86
R 23 400V/50/3	51331C	4 500		•	700	600	1250	800	700	1260	110	142
R 30 400V/50/3	52331C	5 400		•	720	600	1250	800	700	1260	126	148
R 30 V.V. 400V/50/3	52338C	5 400		•	720	600	1250	800	700	1260	126	148
R 45 400V/50/3	53331C	10 000		•	760	600	1400	990	690	1400	172	195
R 45 V.V. 400V/50/3	53338C	10 000		•	760	600	1400	990	690	1400	172	195
R 60 400V/50/3	54331C	11 000		•	810	600	1400	990	690	1400	187	212

Robot Cook®					Dimensions (mm)							Weight (kg)		
Description		Wattage	Single phase	3 phase		Machine			Packaginę	Net	Groop			
	Ref.				L	D	H	L	D	H	Net	Gross		
Robot Cook 230V/50-60/1	43001R	1 800	•		225	340	520	410	310	590	14	16		

E	Blixer®	3			Dimensions (mm)							Weight (kg)		
Description	Dof	Wattana	Single	2 mbaaa		Machine		Packa]	Net	Croco		
Description	Ref. Watta	Wattage	phase	3 phase	L	D	H	L	D	H	Net	Gross		
Blixer [®] 2 230V/50/1	33232	700	٠		210	280	390	400	300	540	10	11		
Blixer® 3 230V/50/1	33198	750	٠	• • • •	240	305	445	400	300	540	12	13		
Blixer® 4 - 1V 230V/50/1	33209	900	•		240	330	480	400	300	540	14	15		
Blixer® 4 - 2V 400V/50/3	33215	1 000		•	240	305	445	400	300	540	14	15		
Blixer® 4 V.V. 230V/50-60/1	33281	1 100	٠		240	330	480	400	300	540	16	17		
Blixer® 5 - 2V 400V/50/3	33259	1 500		•	280	365	540	490	390	650	21	24		
Blixer® 5 V.V. 230V/50-60/1	33265	1 500	٠		280	365	540	490	390	650	22	24		
Blixer® 7 V.V. 230V/50-60/1	33298	1 500	٠		280	365	570	490	390	650	23	25		
Blixer® 8 400V/50/3	21311	2 200		•	315	545	605	700	470	800	39	47		
Blixer® 8 V.V. 230V/50/1	21305	2 200	٠		315	545	605	700	470	800	39	47		
Blixer® 10 400V/50/3	21411	2 600		•	315	545	680	700	470	800	42	51		
Blixer® 10 V.V. 230V/50/1	21405	2 600	٠		315	545	680	700	470	800	42	51		
Blixer® 15 400V/50/3	51511	3 000		•	315	545	700	765	465	780	50	59		
Blixer® 15 V.V. 400V/50/3	51507	3 000		•	315	545	700	765	465	780	50	59		
Blixer® 20 400V/50/3	51611	4 400		•	380	630	780	765	465	780	77	86		
Blixer® 20 V.V. 400V/50/3	51607	4 400		•	380	630	780	765	465	780	77	86		
Blixer® 23 400V/50/3	51341	4 500		•	700	600	1250	800	700	1260	110	142		
Blixer® 30 400V/50/3	52341	5 400		•	720	600	1250	800	700	1260	131	154		
Blixer® 45 400V/50/3	53341	9 000		•	760	600	1400	990	690	1400	172	195		
Blixer® 60 400V/50/3	54341	11 000		•	810	600	1400	990	690	1400	187	210		

BACK TO SUMMARY

TECHNICAL DATA

KITCHEN BLENDERS							Dimensions (mm)						
Description	Ref.	Wattao	Singl	e .		Machine		е	Packaging			B 1-A	
Description	Ker.	wattag	e phase	3 pha	ase	L	D	H	L	D	H	Net	Gross
BL 3 230V/50/1 BL 5 230V/50/1	47011 47001	1 100 1 200	-			215 215	470 470	450 500	535 535	295 295	550 550	14 14	16 17
	:	и Ф	*	: •	:		*	•		•	•		*
	ERSIO	N BLE	NDER	5				Dime	ensions ((mm)		weig	ht (kg)
Description		Ref.	Wattage	Single	3 n	3 phase	Machine		Packaging			Net	Gross
Description		nci.	wallaye	phase	٥h	11030	Ø	H	L	D	H	wet	01055
MicroMix 230V/50/1		34901	220	٠			61	430	435	155	75	1	1
Mini MP 160 V.V. 230V/5	0/1	34741	240	•			78	455	455	190	115	1	2
Mini MP 190 V.V. 230V/5	0/1	34751	270	•	-		78	485	455	190	115	2	3
Mini MP 240 V.V. 230V/5	0/1	34761	290	•			78	535	455	190	115	2	3
CMP 250 V.V. 230V/50/1		34241B	310	•			94	650	690	230	130	3	4
CMP 300 V.V.230V/50/1		34231B	350	•			94	660	690	230	130	3	4
CMP 350 V.V. 230V/50/1		34251B	400	•	-		94	700	690	230	130	4	4
CMP 400 V.V. 230V/50/1		34261B	420	•			94	718	690	230	130	4	4
MP 350 Ultra 230V/50/1		34801L	440	•	-		125	740	930	275	155	5	7
MP 350 V.V. Ultra 230V/5	50/1	34841L	440	•	-		125	740	930	275	155	5	6
MP 450 Ultra 230V/50/1		34811L	500	•			125	840	930	275	155	5	6
MP 450 V.V. Ultra 230V/5	50/1	34851L	500	•			125	840	930	275	155	5	7
MP 550 Ultra 230V/50/1		34821LH	750	٠			125	940	930	275	155	5	7
MP 600 Ultra 230V/50/1		34831LH	850	٠			125	980	930	275	155	6	7
MP 800 Turbo 230V/50/1		34891L	1 000	٠			125	1130	695	400	235	7	9
Mini MP 190 Combi 230V	//50/1	34771	270	•			78	485	455	190	115	2	3
Mini MP 240 Combi 230V	//50/1	34781	290	•			78	535	455	190	115	2	3
CMP 250 Combi 230V/50	/1	34301B	310	•			125	640	560	345	130	3	6
CMP 300 Combi 230V/50	/1	34311B	350	•			125	700	560	345	130	3	6
MP 350 Combi Ultra 230	V/50/1	34861L	440	•			125	790	930	275	155	6	8
MP 450 Combi Ultra 230	V/50/1	34871L	500	•			125	890	930	275	155	6	8
MP 450 FW Ultra 230V/50	0/1	34881L	500	•			125	800	930	275	155	6	9
MP 450 XL FW Ultra 230	V/50/1	34281L	500	٠	-		175	1210	930	275	155	5	9

JUIC	Dimensions (mm)							Weight (kg)				
Description	Ref.	Wattage	Single phase	3 phase	Machine				Packagin			
					L	D	H	L	D	H	Net	Gross
J 80 230V/50/1	56001B	700	•		235	535	500	465	285	530	11	13
J 80 Buffet 230V/50/1	56201B	700	•		260	565	595	790	292	535	11	13
J 100 230V/50/1	56101B	1 000	•		260	565	630	790	292	530	14	15
C 40 230V/50/1	55041	500	•	* * * *	240	280	645	400	300	540	10	11

AUT	Dimensions (mm)							Weight (kg)				
Description	Ref.	Wattage	Single phase	3 phase	Machine			Packaging			Net	0
					L	D	H	L	D	H	Net	Gross
C 80 230V/50/1	55013	650	•		610	360	540	665	475	560	17	21
C 120 230-400V/50/3	55033	900		•	1030	400	860	880	585	885	32	46
C 200 230-400V/50/3	55015	1 800		•	1030	400	860	880	585	885	40	54
C 200 V.V. 230V/50/1	55018	1 800	•		1030	400	860	880	585	885	45	59

TERMS AND CONDITIONS OF SALE

INTERPRETATION

«Seller means Robot-Coupe (UK) Limited (company number: 01393429).

«Buyer» means the other party contracting with the Seller.

«Conditions» means the standard terms and conditions of sale set out in this document and (unless the context otherwise requires) including any special terms and conditions agreed in writing between the Buyer and the Seller in accordance with clause 3(c).

«Contract» means the contract for the sale and purchase of the Equipment.

«Default» means any act, statement, omission, breach of obligation (whether expressed or implied, condition or warranty) contained in, precedent or collateral to the Contract, breach of duty under statute or at common law or negligence by or on the part of the Seller in connection with or arising out of the subject matter of the Contract.

«Equipment» means the goods including spare parts, purchased by the Buyer or to be serviced or repaired by the Seller.

GENERAL

It is acknowledged that all Equipment purchased under the Conditions are required by the Buyer in the course of his business

BASIS OF THE SALE

The Seller shall sell and the Buyer shall purchase the Equipment in accordance with any written order of the Buyer which is accepted by the Seller subject to the Conditions which shall govern the Contract to the exclusion of any other terms and conditions subject to which any such order is made or purported to be made by the Buyer.

No binding Contract shall in any event arise until the Buyer's written order has been accepted by the Seller.

No variation of the Conditions shall be binding unless agreed in writing between the Seller and the Buyer

Any samples, illustrations or descriptive material including but not limited to particulars of shade and pattern and other information contained in the Seller's brochures, advertising material or elsewhere shall not form part of the Contract and shall be treated as approximate and for guidance only unless specifically stated otherwise. The Seller may at its discretion from time to time vary the design of the Equipment from that advertised without notice to the Buyer provided that any such variations do not constitute material alterations to the Equipment.

PRODUCT WARRANTY

The terms of any specific product guarantee offered by the Seller to customers of the Equipment shall be specifically made part of the Conditions. The Buyer undertakes to observe the Seller's service policy as laid down from time to time.

The Seller warrants that the Equipment will correspond with its specification at the time of delivery and will be free from defects in material and workmanship for a period of 12 months from delivery. The above warranty is given by the Seller subject to the following conditions:

the Seller shall be under no liability in respect of any defect arising from fair wear and tear, wilful damage, negligence, failure to follow the Seller's instructions (whether oral or in writing), misuse, alteration, or repair of the Equipment without the Seller's approval; and the Seller shall be under no liability under the above warranty (or any other warranty, condition or guarantee) if the defect is found to result from alteration or repairs made by the Buyer or on his authority without written consent of the Seller

Where any valid claim in respect of any of the Equipment which is based on any defect in the quality or condition of the Equipment or their failure to meet specification is notified to the Seller in accordance with the Conditions, and the defective Equipment has been returned to the Seller with each part with which it was sold together with a report setting out the name and address of the end customer, the date of purchase and the defect reported, the Seller shall, at its sole discretion, replace the Equipment (or the part in question) free of charge or refund to the Buyer the price of the Equipment (or a proportionate part of the price) but the Seller shall have no further liability to the Buyer.

The Buyer shall return the defective Equipment to the Seller together with each and every part with which it was sold in a reasonable and proper condition save for the defect of which complaint is made. Each such item of Equipment returned must be accompanied by a report from the Buyer setting out the name and address of the customer, the date of the purchase and the defect reported.

CONDITIONS, WARRANTIES AND REPRSENTATIONS EXCLUDED

The Seller gives only those express warranties set out in condition 4 and no other conditions, warranties or representations (whether express or implied) are given, save as may be required to be given by law

In particular, but without prejudice to the generality of the foregoing, the implied conditions as to satisfactory quality shall be deemed to be satisfied after the expiration of twelve months and the only purpose for which the Equipment is supplied are laid down in the manual supplied with the Equipment. In relation to any Default the Seller will accept unlimited liability for:

death or personal injury caused by the negligence of the Seller; and anything else for which the Seller cannot at law limit or exclude its liability.

The Seller will not be liable for the following loss or damage however caused/arising directly or indirectly out of any Default and even if foreseeable by the Seller:

economic loss including administrative and overhead costs, loss of profits, business, contracts, revenues, goodwill, production and anticipated savings of every description; loss arising from any claim made against the Buyer by any other person; or loss or damage arising from the Buyer's failure to fulfil its responsibilities or any matter under the control of the Buyer.

Except for the liabilities accepted by the Seller under sub-clause 5(b) the Seller's liability for any one Default shall be limited to an amount equal to the price of the Equipment.

DELIVERY

Risk of loss of or damage to any order of the Equipment shall pass to the Buyer at the time of delivery to the agreed place of delivery or if the Buyer wrongfully fails to take delivery of the Equipment, the time when the Seller has tendered delivery of the Equipment.

Dates of delivery are considered as approximate only unless there is a specific agreement to the contrary.

Where appropriate, shipping schedules shall be agreed between the parties, however the Equipment is sold subject to availability and the Seller shall be entitled to allocate for delivery to the Buyer smaller quantities of the Equipment than those ordered if in the Seller's sole opinion its supplies shall be insufficient to meet the requirements of all its customers.

PRICES AND CARRIAGE

Unless otherwise stated all prices for the Equipment shall be those in the Seller's current price list and, unless otherwise stated, shall be inclusive of all charges other than VAT or any other sales tax (which shall be payable by the Purchaser subject to receipt of a valid VAT invoice). All orders shall be subject to a carriage charge, price upon application.

PAYMENT

Unless the Buyer has established an account with the Seller full payment will be paid with each order. Where the Buyer has established an account with the Seller payment will be made in full 28 days from the date of invoice or as otherwise agreed between the Seller and the Buyer.

CANCELLATION

No order which has been accepted by the Seller may be cancelled by the Buyer except with the agreement in writing of the Seller and on terms that the Buyer shall indemnify the Seller in full against all loss (including loss of profit) costs (including the costs of all labour and materials used) damages, charges and expenses incurred by the Seller as a result of cancellation.

RETENTION OF TITLE

The Seller and the Buyer expressly agree that until payment has been made in full for the Equipment: Property in any order of the Equipment shall not pass to the Buyer until the Seller has received in cash or cleared funds payment in full of the price of that order and all other Equipment supplied by the Seller to the Buver for which payment is then due.

Until such time as the property in the Equipment passes to the Buyer, the Buyer shall:

hold the Equipment as the Seller's fiduciary agent and bailee; keep the Equipment separate from those of the Buyer and third parties and properly stored, protected, insured and identified as the Seller's property; and be entitled to resell or use the Equipment in the ordinary course of its business (unless the Seller revokes such entitlement in writing). On any such sale or use of the Equipment the Buyer shall sell or use those Equipment as have been longest in its possession.

Until such time as the property in the Equipment passes to the Buyer (and provided that the Equipment is still in existence and has not been resold) the Seller shall be entitled; at anytime to enter upon any premises where the Equipment is stored to inspect it; and at any time to require the Buyer to deliver up the Equipment to the Seller and, if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the Equipment is stored and repossess the Equipment.

The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Equipment which remain the property of the Seller, but if the Buyer does so all monies owing by the Buyer to the Seller shall (without prejudice to any other right or remedy of the Seller) forthwith become due and payable.

The Buyer shall insure the Equipment with a reputable insurance company for its full market value and will provide such evidence of cover and payment of premium as the Seller may reasonably require. The Buyer further agrees to procure that the Seller is specified as loss payee in any such contract of insurance, if the Seller should so elect.

FORCE MAJEURE

The Seller shall not be liable to the Buyer or be deemed to be in breach of any Contract to which the Conditions apply by reason of any delay in performing, or any failure to perform, any of its obligations in relation to the Equipment, to the extent that the delay or failure was beyond the Seller's reasonable control

If the Seller is prevented from fulfilling any order or Contract with a reasonable time by force majeure, it will notify the Buyer of the delay. The Seller shall be under no liability to the Buyer and shall be entitled to extend the time or times for delivery or otherwise performing such Contract for so long as such cause of prevention or delay shall continue.

If the event of force maieure continues for a period of more than 3 months, the Buver shall have the right on giving notice to the Seller to terminate any Contract to which these Conditions apply.

INTELLECTUAL PROPERTY RIGHTS

The Equipment includes designs (the «Designs») which are the property of the Seller. The Buyer acknowledges that the Seller owns the copyright, design right and all other intellectual property rights in the Designs

The Buyer agrees that the Designs may not be reproduced or used in any way except with the prior written consent of the Seller.

The Seller has not knowingly infringed any intellectual property rights of any third party but does not warrant or give any assurance to the Buyer that any Design does not infringe the intellectual property rights of any third party.

The Buyer shall leave in position and not cover, deface of erase any notices or other marks (including without limitation serial numbers and notices that a trade mark, design, patent or copyright relating to the Equipment is owned by the Seller or a third party) which the Seller may place on or affix to the Equipment.

The Buyer shall not in any of its stationery nor by any sign at its premises or otherwise indicate that it is in any way connected with the Seller other than that it is an appointed stockist of the Equipment.

GENERAL

The Buyer shall not without the prior written consent of the Seller sub-contract or assign the Contract to any other party.

Each clause and sub-clause in these Conditions is separate and severable and enforceable accordingly. **GOVERNING LAW AND JURISDICTION**

This Contract shall be governed by and construed in accordance with the laws of England and Wales and the parties hereby submit to the exclusive jurisdiction of the courts of England and Wales.

robot @ coupe[®]

ROBOT COUPE (UK) LTD 2 Fleming Way, Isleworth TW7 6EU T: +44(0) 20 8232 1800 E: sales@robotcoupe.co.uk

www.robotcoupe.co.uk www.kitchenhub.live